



# SHP National PDGM Benchmarks

Clinical Group	SHP	CMS
MMTA - Other	3.0%	3.0%
Neuro / Stroke Rehab	10.4%	10.2%
Wounds	14.5%	11.9%
Complex Nursing	3.9%	4.4%
Musculoskeletal Rehab	18.5%	18.8%
Behavioral Health	2.7%	3.1%
MMTA - Surgical Aftercare	4.1%	3.4%
MMTA - Cardiac / Circulatory	18.0%	21.9%
MMTA - Endocrine	5.4%	7.1%
MMTA - GI / GU	5.1%	4.1%
MMTA - Infectious Disease	5.3%	3.8%
MMTA - Respiratory	9.0%	8.3%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>

Comorbidity Adjustment	SHP	CMS
None	47.4%	56.4%
Low	38.3%	35.5%
High	14.3%	8.1%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>

Functional Impairment	SHP	CMS
Low	24.1%	35.1%
Med	32.1%	33.4%
High	43.7%	31.5%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>

Source & Timing	SHP	CMS
Community – Early	13.4%	13.3%
Institutional – Early	26.6%	18.5%
Community – Late	55.1%	61.4%
Institutional – Late	4.9%	6.8%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>

Source: SHP National Database of PDGM 30-Day Period Percentages Jan – June 2020 (run as of 7/9/20). CMS is based on the CY 2020 Final Rule using claims from CY 2018 (as of July 31, 2019).



# SHP National PDGM Benchmarks

Medicare Region										
Clinical Group	Region I - New England	Region II - Northeast	Region III - East	Region IV - South	Region V - Central	Region VI - Southwest	Region VII - Midwest	Region VIII - Mountain	Region IX - West	Region X - Northwest
MMTA - Other	3.2%	2.4%	2.9%	3.0%	2.9%	2.9%	3.2%	3.6%	3.1%	3.2%
Neuro / Stroke	9.1%	8.8%	10.3%	10.3%	10.2%	10.4%	10.8%	12.8%	11.4%	13.9%
Wounds	13.2%	18.4%	15.3%	14.9%	14.3%	11.2%	13.8%	13.2%	16.2%	16.0%
Complex Nursing	3.1%	5.9%	4.6%	3.1%	4.9%	2.3%	4.9%	5.0%	5.1%	6.6%
MS Rehabilitation	17.8%	17.5%	18.9%	17.6%	20.0%	16.3%	21.8%	24.5%	20.1%	21.7%
Behavioral Health	8.5%	1.4%	1.6%	2.9%	1.4%	2.9%	1.4%	2.0%	2.0%	2.1%
MMTA - Surgical Aftercare	4.7%	5.5%	5.2%	3.7%	4.8%	2.7%	4.9%	3.9%	4.2%	3.6%
MMTA - Cardiac / Circulatory	15.0%	14.7%	16.6%	19.6%	16.7%	24.6%	14.8%	11.6%	14.7%	13.1%
MMTA - Endocrine	4.7%	4.4%	4.1%	5.8%	4.2%	8.5%	4.1%	5.6%	4.8%	4.3%
MMTA - GI / GU	5.3%	5.2%	5.7%	5.0%	5.4%	4.5%	5.4%	4.8%	5.3%	4.0%
MMTA - Infectious Disease	6.0%	5.9%	5.7%	5.1%	5.5%	4.7%	5.5%	5.4%	5.6%	4.6%
MMTA - Respiratory	9.5%	9.8%	9.2%	9.0%	9.7%	9.1%	9.4%	7.7%	7.5%	7.1%
<b>Overall</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>

  

Medicare Region										
PDGM Components	Region I - New England	Region II - Northeast	Region III - East	Region IV - South	Region V - Central	Region VI - Southwest	Region VII - Midwest	Region VIII - Mountain	Region IX - West	Region X - Northwest
<b>Comorbidity</b>										
None	52.0%	48.2%	45.6%	47.9%	42.8%	47.6%	44.5%	51.6%	51.2%	43.5%
Low	35.6%	36.9%	38.9%	38.0%	41.1%	39.2%	39.9%	36.1%	35.9%	38.9%
High	12.4%	14.9%	15.5%	14.1%	16.1%	13.3%	15.6%	12.3%	12.9%	17.6%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>

  

Medicare Region										
Functional	Region I - New England	Region II - Northeast	Region III - East	Region IV - South	Region V - Central	Region VI - Southwest	Region VII - Midwest	Region VIII - Mountain	Region IX - West	Region X - Northwest
Low	32.2%	17.7%	23.2%	22.1%	23.9%	24.9%	24.1%	31.8%	27.2%	24.9%
Med	29.2%	29.9%	31.4%	30.8%	35.3%	34.3%	32.4%	33.5%	34.6%	28.8%
High	38.5%	52.4%	45.4%	47.1%	40.8%	40.9%	43.4%	34.7%	38.3%	46.3%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>

  

Medicare Region										
Source & Timing	Region I - New England	Region II - Northeast	Region III - East	Region IV - South	Region V - Central	Region VI - Southwest	Region VII - Midwest	Region VIII - Mountain	Region IX - West	Region X - Northwest
Community Early	12.0%	13.1%	12.6%	14.4%	13.9%	10.5%	13.7%	16.5%	15.4%	16.5%
Community Late	54.8%	44.1%	49.1%	58.4%	49.0%	69.2%	47.7%	50.3%	49.8%	53.3%
Institutional Early	27.3%	37.2%	32.5%	22.6%	31.8%	16.4%	32.6%	29.1%	30.5%	26.6%
Institutional Late	5.9%	5.6%	5.7%	4.6%	5.3%	3.9%	5.9%	4.1%	4.3%	3.6%
<b>Total</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>

Source: SHP National Database of PDGM 30-Day Period Percentages Jan - June 2020 (run as of 7/9/20). LUPA Rates based on Jan - May Billed Claims (run as of 7/9/20)



# SHP National PDGM Benchmarks

LUPA Rates	Medicare Region									
	Region I - New England	Region II - Northeast	Region III - East	Region IV - South	Region V - Central	Region VI - Southwest	Region VII - Midwest	Region VIII - Mountain	Region IX - West	Region X - Northwest
Clinical Group										
MMTA - Other	10.8%	12.0%	9.1%	8.1%	10.4%	6.0%	9.5%	7.7%	9.5%	11.0%
Neuro / Stroke	10.9%	12.2%	9.5%	8.0%	11.2%	6.2%	9.0%	8.5%	10.3%	12.6%
Wounds	8.8%	9.0%	8.3%	7.7%	8.4%	6.7%	7.7%	6.1%	8.6%	9.0%
Complex Nursing	19.9%	22.6%	23.2%	20.8%	21.2%	15.6%	22.3%	21.9%	15.7%	25.0%
MS Rehabilitation	10.8%	11.6%	9.3%	8.2%	10.4%	6.3%	9.6%	8.6%	10.6%	11.1%
Behavioral Health	9.5%	13.9%	9.4%	9.4%	9.9%	6.1%	7.0%	7.7%	8.7%	12.3%
MMTA - Surgical Aftercare	12.5%	14.3%	10.7%	9.2%	11.1%	8.2%	9.5%	9.4%	11.2%	10.6%
MMTA - Cardiac / Circulatory	9.5%	12.2%	8.8%	6.9%	9.3%	5.0%	8.4%	7.9%	9.9%	9.9%
MMTA - Endocrine	11.2%	10.5%	11.2%	9.0%	12.1%	6.9%	9.2%	7.0%	11.3%	11.2%
MMTA - GI / GU	11.1%	13.0%	9.8%	8.3%	12.2%	6.3%	10.5%	10.5%	10.0%	13.1%
MMTA - Infectious Disease	13.2%	11.7%	9.5%	10.8%	10.9%	7.9%	9.4%	8.2%	10.1%	10.6%
MMTA - Respiratory	10.3%	12.3%	8.8%	7.0%	9.6%	5.1%	9.3%	8.9%	10.7%	9.8%
<b>Overall</b>	<b>10.8%</b>	<b>12.2%</b>	<b>9.8%</b>	<b>8.4%</b>	<b>10.7%</b>	<b>6.3%</b>	<b>9.7%</b>	<b>8.8%</b>	<b>10.3%</b>	<b>11.7%</b>

Source: SHP National Database of PDGM 30-Day Period Percentages Jan - June 2020 (run as of 7/9/20). LUPA Rates based on Jan - May Billed Claims (run as of 7/9/20).