

OASIS-D1 to OASIS-E Crosswalk Guide

Developed by Strategic Healthcare Programs • www.SHPdata.com

SHP is pleased to provide home health agencies with a complete side-by-side comparison of the OASIS-D1 and OASIS-E assessment forms. Items that have been added or removed between the two OASIS versions are indicated with color coding. This document includes all items recorded at start of care (SOC), resumption of care (ROC), follow-up (FU), transfer (TRF), discharge (DC), and death at home (DAH). Next to each item is a box listing the assessment reasons at which each item is recorded, (o) indicates an optional item.

This guide is an excellent reference for anyone who works with OASIS Assessments and will improve accuracy, help reduce coding errors, and potentially reduce the number of returned claims. We recommend printing copies for your staff to aid in the transition to OASIS-E and beyond. Note: When printing from browser, set the scale to "Fit to paper" in the print dialog box for best results.

Item Summary

Item #	Sec.	Description		OASIS-D1 Time Po			Points			OASIS-E		Time Points			Notes
	000.	Description	SOC	ROC	FU	TRF	DC	DAH	SOC	ROC	FU	TRF	DC	DAH	110100
M0010-100,150	Α	Administrative Information	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
M0102	Α	Date of Physician-ordered S/ROC	✓	✓					✓	✓					
M0104	Α	Date of Referral	✓	✓					✓	✓					
M0110	Α	Episode Timing	✓	✓	✓				✓	✓	✓				
M0906	Α	Discharge/Transfer/Death Date				✓	✓	✓				✓	✓	✓	
M1000	Α	Inpat Fac DC within last 14 days	✓	✓					✓	✓					
M1005	Α	Inpat DC Date	✓	✓					✓	✓					
M0140	Α	Race/Ethnicity	✓	✓											Item Removed
A1005	Α	Ethnicity							✓						Item Added
A1010	Α	Race							✓						Item Added
A1110	Α	Language							✓						Item Added
A1250	Α	Transportation							✓	✓			✓		Item Added
M2301	Α	Emergent Care				√	√					✓	✓		
M2310	Α	Reason for EC				√	√					✓	√		
M2410	Α	Inpat Fac admitted to				√	√					√	√		
M2420	Α	DC Disposition					√						√		
A2120	Α	Med List Provision to Provider										✓			Item Added
A2121	Α	Med List Provision to Provider											√		Item Added
A2122	Α	Route of Provision to Provider										√	1		Item Added
A2123	Α	Med List Provision to Patient											✓		Item Added
A2124	Α	Route of Provision to Patient											·		Item Added
B0200	В	Hearing							1				·		Item Added
M1200	В	Vision	√	√	√				·						Item Removed
B1000	В	Vision	_	•	•				1						Item Added
									v	√			√		Item Added
B1300	В	Health Literacy							v	∨			√		
C0100	С	BIMS Interview Attempted							· /						Item Added
C0200	С	BIMS: Repetition of Three Words							v	√			√		Item Added
C0300	С	BIMS: Temporal Orientation BIMS: Recall							v	√			√		Item Added
C0400	С								v	√			√		Item Added
C0500	С	BIMS: Summary Score							v	√			√		Item Added
C1310	С	Signs/Symp of Delirium	-						V	√			√		Item Added
M1700	С	Cognitive Functioning	√	√			√		✓	√			√		
M1710	С	When Confused	√	√			√		✓	√			√		
M1720	С	When Anxious	√	√			✓		✓	√			✓		
M1730	D	Depression Screening	✓	✓											Item Removed
D0150	D	Patient Mood Interview							V	√			√		Item Added
D0160	D	Total Severity Score							V	√			√		Item Added
D0700	D	Social Isolation							✓	√			√		Item Added
M1740	E	Cog, Behav, Psych Symptoms	√	√			√		√	√			√		
M1745	E	Freq of Behavior Symptoms	✓	✓			✓		✓	✓			✓		
M1100	F	Living Situation	✓	✓					√	✓					
M2102	F	Types and Src of Assistance	✓	✓			✓		✓	✓			✓		
M1800	G	Grooming	✓	✓	✓		✓		✓	✓	✓		✓		
M1810	G	Upper Dressing	✓	✓	✓		✓		✓	✓	✓		✓		
M1820	G	Lower Dressing	✓	✓	✓		✓		✓	✓	✓		✓		
M1830	G	Bathing	✓	✓	✓		✓		✓	✓	✓		✓		
M1840	G	Toilet Trf	✓	✓	✓		✓		✓	✓	✓		✓		
M1845	G	Toilet Hyg	✓	✓			✓		✓	✓			✓		
M1850	G	Bed Trf	✓	✓	✓		✓		✓	✓	✓		✓		
M1860	G	Ambulation	✓	✓	✓		✓		✓	✓	✓		✓		
GG0100	GG	Prior Functioning	✓	✓					✓	✓					

Continued		5	OASIS-D1 Time Points					OASI	IS-E 1	Γime F	oints				
Item #	Sec.	Description	SOC	ROC	FU	TRF	DC	DAH	SOC	ROC	FU	TRF	DC	DAH	Notes
GG0110	GG	Prior Device Use	✓	✓					✓	✓					
GG0130	GG	Self-Care	✓	✓	✓		✓		✓	✓	✓		✓		
GG0170	GG	Mobility	✓	✓	✓		✓		✓	✓	✓		✓		
M1600	Н	UTI	✓	✓			✓		✓	✓			✓		
M1610	Н	Urinary Incont/Catheter	✓	✓	✓				✓	✓					Removed at FU
M1620	Н	Bowel Incont Freq	✓	✓	✓		✓		✓	✓			✓		Removed at FU
M1630	Н	Ostomy	✓	✓	✓				✓	✓					Removed at FU
M1021	I	Primary Dx	✓	✓	✓				✓	✓					Removed at FU
M1023	ı	Other Dx	✓	✓	✓				✓	✓					Removed at FU
M1028	ı	Comorb/Co-existing Conditions	✓	✓					✓	✓					
M1033	J	Risk for Hospitalization	✓	✓	✓				✓	✓	✓				
J0510	J	Pain Effect on Sleep							✓	✓			✓		Item Added
M1242	J	Freq of Pain Interfer w/ Activity	✓	✓	✓		✓								Item Removed
J0520	J	Pain Interfer w/ Therapy							✓	✓			✓		Item Added
J0530	J	Pain Interfer w/ Activity							✓	✓			✓		Item Added
J1800	J	Any Falls since S/ROC				✓	✓					✓	✓		
J1900	J	Number of Falls since S/ROC				✓	✓					✓	✓		
M1910	J	Falls Risk Asmt	✓	✓											Item Removed
M1400	J	Dyspnea	✓	✓	✓		✓		✓	✓			✓		Removed at FU
M1060	K	Height and Weight	✓	✓					✓	✓					
K0520	K	Nutritional Approaches							✓	✓			✓		Item Added
M1030	K	Therapies Received at Home	✓	✓	✓										Item Removed
M1870	K	Feeding or Eating	✓	✓			✓		✓	✓			✓		
M1306	М	Unhealed PU Stage 2+	✓	✓	✓		✓		✓	✓	✓		✓		
M1307	М	Oldest Stage 2 PU					✓						✓		
M1311	М	Current # Unhealed PUs	✓	✓	✓		✓		✓	✓			✓		Removed at FL
M1322	М	Current # Stage 1 PUs	✓	✓	✓				✓	✓					Removed at FU
M1324	М	Stage of Most Prob PU	✓	✓	✓		✓		✓	✓			✓		Removed at FU
M1330	М	Presence of Stasis Ulc	✓	✓	✓		✓		✓	✓			✓		Removed at FU
M1332	М	Current # Observable Stasis Ulc	✓	✓	✓				✓	✓					Removed at FU
M1334	М	Status of Most Prob Stasis Ulc	✓	✓	✓		✓		✓	✓			✓		Removed at FU
M1340	М	Presence of Surgical Wound	✓	✓	✓		✓		✓	✓			✓		Removed at FU
M1342	М	Status of Most Prob Srg Wnd	✓	✓	✓		✓		✓	✓			✓		Removed at FU
N0415	N	High Risk Drug Classes							✓	✓			✓		Item Added
M2001	N	Drug Reg Review	✓	✓					✓	✓					
M2003	N	Medication Follow-up	✓	✓					✓	✓					
M2005	N	Medication Intervention				✓	✓					✓	✓		
M2010	N	High-Risk Drug Education	✓	✓					✓	✓					
M2016	N	Drug Education Intervention				✓	✓								Item Removed
M2020	N	Mgmt of Oral Meds	✓	✓			✓		✓	✓			✓		
M2030	N	Mgmt of Injectable Meds	✓	✓	✓				✓	✓					Removed at FU
O0110	0	Special Trtmts, Procedures, Prog							✓	✓			✓		Item Added
M1041	0	Flu Vac Data Collection Period				✓	✓					✓	✓		
M1046	0	Flu Vac Received				✓	✓					✓	✓		
M1051	0	Pneumococcal Vac				✓	✓								Item Removed
M1056	0	Reason PPV Not Received				✓	✓								Item Removed
M2200	0	Therapy Need	✓	✓	✓				✓	✓					Removed at FU
M2401	Q	Intervention Synopsis				✓	✓					✓	✓		M2401A remove

This version of OASIS is based on the Draft OASIS-E Item Set posted by CMS on May 16, 2022.

OASIS-E is scheduled for implementation on January 1, 2023.

This guide is provided by SHP as a service and is for informational use only. Always consult CMS.gov for the most up-to-date information including future changes.

OASIS-D	Clinical Record Items, Patient History, Items Collected at TRF/DC		
M0010 CMS C	ertification Number	All	
MICOTO: OMIC C			
M0014. Branch	L L L L L L L L L L	All	
moora. Branci			
M0016. Branch	ID Number		
MIOUTO. BIAIICI		All	
MOOAR Nation	Describer Identifier (NDI) for the effecting physician who has signed the plan of age		
WIUUTO. Nation	al Provider Identifier (NPI) for the attending physician who has signed the plan of care	All	
MOOOO Detient	UK - Unknown or Not Available	_	
M0020. Patient	ID Number	All	
		- I	
M0030. Start o	r Care Date	All	
	Month Day Year		
M0032. Resum	ption of Care Date	All	
	Month Day Year		
M0040. Patient	Name	All	
	(First) (MI) (Last) (Suffix)		
M0050. Patient	State of Residence	All	
M0060. Patient	ZIP Code	All	
M0063. Medica	ire Number	All	
	□ NA - No Medicare		
M0064. Social	Security Number	All	
	UK - Unknown or Not Available		
M0065. Medica	ild Number	All	
	NA - No Medicare		
M0066. Birth D	rate	All	
	Month Day Year		
M0069. Gende	r	All	
Enter Code	1. Male 2. Female		
M0080. Discipl	ine of Person Completing Assessment	All	
Enter Code	1. RN		
	2. PT 3. SLP/ST		
	4. OT		
M0090. Date A	ssessment Completed	All	
M0100. This As	Month Day Year ssessment is Currently Being Completed for the Following Reason	All	
Enter Code	Start/Resumption of Care	7	
	Start of care - further visits planned		
	3. Resumption of care (after inpatient stay)		
	Follow-Up 4. Recertification (follow-up) reassessment ↓ Skip to M0110		
	5. Other follow-up ↓ Skip to M0110		
	Transfer to an Inpatient Facility 6. Transferred to an inpatient facility - patient not discharged from agency ↓ Skip to M1041		
	7. Transferred to an inpatient facility - patient discharged from agency ↓ Skip to M1041		
	Discharge from Agency - Not to an Inpatient Facility 8. Death at home ↓ Skip to M2005		
	8. Death at home ↓ Skip to M2005 9. Discharge from agency ↓ Skip to M1041		
		- T SI	HP'

OASIS-E	Section A	Administrative Information	A
M0010. CMS C	ertification Num	iber	All
M0014. Branch	State		All
M0016. Branch	ID Number		All
M0018. Nation	al Provider Iden	tifier (NPI) for the attending physician who has signed the plan of care	All
		☐ UK - Unknown or Not Available	
M0020. Patient	ID Number		All
M0030. Start o	f Care Date		All
	<u> </u>] - [
M0032. Resum	Month Day ption of Care Da	Year	All
	<u></u>	☐ NA - Not Applicable	,
	Month Day	Year	
M0040. Patient	Name		All
	(First)	(MI) (Last) (Suffix)	
M0050. Patient	State of Reside		All
M0060. Patient	ZIP Code		All
]	
M0063. Medica	re Number		All
		□ NA - No Medicare	
M0064. Social	Security Number	or .	All
	- [- UK - Unknown or Not Available	
M0065. Medica	id Number		All
		NA - No Medicare	
M0066. Birth D	ate		All
	Month Day		
M0069. Gende			All
Enter Code	1. Male		
Managa Biraini	2. Fem		• "
-		ompleting Assessment	All
Enter Code	1. RN 2. PT		
_	3. SLP . 4. OT	'ST	
M0000 Data A	ssessment Com	plotod	All
WIO090. Date A		pieteu	All
	Month Day	Year	
M0100. This As	ssessment is Cu	urrently Being Completed for the Following Reason	All
Enter Code		tion of Care t of care - further visits planned umption of care (after inpatient stay)	
		ertification (follow-up) reassessment	
	6. Tran	n Inpatient Facility Insterned to an inpatient facility - patient not discharged from agency ↓ Skip to M1041 Insterned to an inpatient facility - patient discharged from agency ↓ Skip to M1041	
	Discharge fro	om Agency - Not to an Inpatient Facility th at home ↓ Skip to M2005 tharge from agency ↓ Skip to M1041	

M0102. Date of	Physician-ordered Start of Care (Resumption of Care)	
	indicated a specific start of care (resumption of care) date when the patient was referred for home health	SOC
	I the date specified.	ROC
301 V1003, 100010	and date opening.	
	Skip to M0110, Episode Timing, if date entered	
	Month Day Year	
	□ NA - No specific SOC/ROC date ordered by physician	
	A NA No specific deserves date ordered by physician	
M0104. Date of	Referral	soc
Indicate the dat	e that the written or verbal referral for initiation or resumption of care was received by the HHA.	ROC
	Month Day Year	
M0110. Episod	•	SOC
=		ROC
	home health payment episode for which this assessment will define a case mix group an "early" episode or a "later" episode in the	FU
patient's curren	t sequence of adjacent Medicare home health payment episodes?	FU
Enter Code	1. Early	
	2. Late	
	UK Unknown	
	NA Not Applicable: No Medicare case mix group to be defined by this assessment.	
M0150. Curren	t Payment Sources for Home Care	All
	all that apply	1
	0. None ; no charge for current services	1
	Medicare (HMO/managed care/Advantage plan)	
	Medicaid (traditional fee-for-service)	
	4. Medicaid (HMO/managed care)	
	5. Workers' compensation	
	6. Title programs (for example, Title III, V, or XX)	
	7. Other government (for example, TriCare, VA)	
	8. Private insurance	
	9. Private HMO/managed care	
	10. Self-pay	
T T	11. Other (specify)	
H	UK Unknown	
		TDE
	rge/Transfer/Death Date	TRF DC
Enter the date o	of the discharge, transfer, or death (at home) of the patient.	DAH
		DAN
	L_L L_L L_L_L	
	Month Day Year	<u> </u>
M1000. From w	hich of the following Inpatient Facilities was the patient discharged within the past 14 days?	SOC
↓ Check	all that apply	ROC
	1. Long-term nursing facility (NF)	
	2. Skilled nursing facility (SNF/TCU)	
	3. Short-stay acute hospital (IPPS)	
	4. Long-term care hospital (LTCH)	
	5. Inpatient rehabilitation hospital or unit (IRF)	1
	\cdot	
	6. Psychiatric hospital or unit	-
	7. Other (specify)	-
	NA Patient was not discharged from an inpatient facility → Skip to M1021, Primary Diagnosis	
M1005. Inpatie	nt Discharge Date (most recent)	SOC
		ROC
		Ī

M1030. Therapies shown in section K

M1033. Risk for Hospitalization shown in section J



		-
M0102. Date of	Physician-ordered Start of Care (Resumption of Care)	000
If the physician	indicated a specific start of care (resumption of care) date when the patient was referred for home health	SOC
	the date specified.	RUC
	-	
	Month Day Year	
	☐ NA - No specific SOC/ROC date ordered by physician	
M0104. Date of	: Deferral	000
		SOC
maicate the dat	e that the written or verbal referral for initiation or resumption of care was received by the HHA.	NOC
	Month Day Year	
M0110. Episod	,	SOC
_	home health payment episode for which this assessment will define a case mix group an "early" episode or a "later" episode in the	ROC
	t sequence of adjacent Medicare home health payment episodes?	FU
Enter Code	1. Early	
	2. Late	
	UK Unknown	
	NA Not Applicable: No Medicare case mix group to be defined by this assessment.	
M0150. Curren	t Payment Sources for Home Care	All
	all that apply	
	None; no charge for current services	
	Medicare (traditional fee-for-service)	
	Medicare (HMO/managed care/Advantage plan)	
	Medicaid (traditional fee-for-service)	
	4. Medicaid (HMO/managed care)	
	5. Workers' compensation	
	6. Title programs (for example, Title III, V, or XX)	
	7. Other government (for example, TriCare, VA)	
	8. Private insurance	
	9. Private HMO/managed care	
	10. Self-pay	
	11. Other (specify)	
	UK Unknown	
	rge/Transfer/Death Date	TRF DC
Enter the date of	of the discharge, transfer, or death (at home) of the patient.	DAH
	Month Day Year	271
M1000 . From w	hich of the following Inpatient Facilities was the patient discharged within the past 14 days?	SOC
↓ Check	all that apply	ROC
	Long-term nursing facility (NF)	
	2. Skilled nursing facility (SNF/TCU)	
	3. Short-stay acute hospital (IPPS)	
	4. Long-term care hospital (LTCH)	
	5. Inpatient rehabilitation hospital or unit (IRF)	
	6. Psychiatric hospital or unit	
	7. Other (specify)	
	NA Patient was not discharged from an inpatient facility → Skip to B0200 Hearing at SOC, to B1300 Health Literacy at RO	
M1005. Inpatie	nt Discharge Date (most recent)	SOC
	UK - Unknown or Not Available	ROC

(M0140) Race/	Ethnicity		SOO ROO
↓ Check	all that ap	ply	
	1.	American Indian or Alaska Native	
	2.	Asian	
	3.	Black or African-American	
	4.	Hispanic or Latino	
	5.	Native Hawaiian or Pacific Islander	
	6.	White	

M2301. Emerg	ent Care	TRF
	r at any time since the most recent SOC/ROC assessment has the patient utilized a hospital emergency	DC
department (inc	cludes holding/observation status)?	
Enter Code	0. No → Skip to M2410, Inpatient Facility	
	1. Yes, used hospital emergency department WITHOUT hospital admission	
	2. Yes, used hospital emergency department WITH hospital admission	
	UK Unknown → Skip to M2410, Inpatient Facility	
M2310. Reason	n for Emergent Care	TRF
For what reason	n(s) did the patient seek and/or receive emergent care (with or without hospitalization)?	DC
↓ Check	all that apply	
	1. Improper medication administration, adverse drug reactions, medication side effects, toxicity, anaphylaxis	
	10. Hypo/Hyperglycemia, diabetes out of control	
	19. Other than above reasons	
	UK Reason unknown	
M2410. To which	ch Inpatient Facility has the patient been admitted?	TRF
Enter Code	1. Hospital [Go to M0906]	DC
	2. Rehabilitation facility [Go to M0906]	
	3. Nursing home [Go to M0906]	
	4. Hospice [Go to M0906]	
	NA No inpatient facility admission [Omit "NA" option on TRN]	

M2301. Emergent Care

A1005. Ethnici	ty	SOC
Are you of Hisp	anic, Latino/a, or Spanish origin?	
↓ Check	all that apply	
	A. No, not of Hispanic, Latino/a, or Spanish origin	
	B. Yes, Mexican, Mexican American, Chicano/a	
	C. Yes, Puerto Rican	
	D. Yes, Cuban	
	E. Yes, Another Hispanic, Latino, or Spanish origin	
	X. Patient unable to respond	
	Y. Patient declines to respond	
A1010. Race		SOC
What is your ra	ne?	
↓ Check	all that apply A. White	_
	B. Black or African American	
	C. American Indian or Alaska Native	
H	D. Asian Indian	
<u> </u>	E. Chinese	
<u> </u>	F. Filipino	
<u> </u>	G. Japanese	
<u> </u>	H. Korean	
<u> </u>	I. Vietnamese	
<u> </u>	J. Other Asian	
H	K. Native Hawaiian	
<u> </u>	L. Guamanian or Chamorro	
<u> </u>	M. Samoan	
	N. Other Pacific Islander	
	X. Patient unable to respond	
	Y. Patient declines to respond	
H	Z. None of the above	
A1110. Langua		SOC
ATTIO. Langua	9°	300
	A. What is your preferred language? B. Do you need or want an interpreter to communicate with a doctor or health care staff? O. No 1. Yes 9. Unable to determine	
Δ1250 Transn	ortation (NACHC ©)	000
-	sportation kept you from medical appointments, meetings, work, or from getting things needed for daily living?	SOC ROC
		DC
	all that apply	
	A. Yes, it has kept me from medical appointments or from getting my medications	
	B. Yes, it has kept me from non-medical meetings, appointments, work, or from getting things that I need	
	C. No	
	X. Patient unable to respond	
<u> </u>	Y. Patient declines to respond	_
M2301. Emerg		TRF
	r at any time since the most recent SOC/ROC assessment has the patient utilized a hospital emergency	DC
department (inc	ludes holding/observation status)?	
Enter Code	0. No → Skip to M2410, Inpatient Facility	
	1. Yes, used hospital emergency department WITHOUT hospital admission	
	2. Yes, used hospital emergency department WITH hospital admission	
	UK Unknown → Skip to M2410, Inpatient Facility	
M2210 Posso	o for Emorgant Cara	TDE
	n for Emergent Care	TRF
For what reason	n(s) did the patient seek and/or receive emergent care (with or without hospitalization)?	DC
	all that apply	
	1. Improper medication administration, adverse drug reactions, medication side effects, toxicity, anaphylaxis	
	10. Hypo/Hyperglycemia, diabetes out of control	
	19. Other than above reasons	
	UK Reason unknown	
M2410 . To which	th Inpatient Facility has the patient been admitted?	TRF
Enter Code	1 Hospital	DC
	Hospital Rehabilitation facility	
	3. Nursing home	
	4. Hospice	
		1



M2420. Discha Where is the pa	•	osition discharge from your agency? (Choose only one answer.)	DC
Enter Code	1.	Patient remained in the community (without formal assistive services)	
	2.	Patient remained in the community (with formal assistive services)	
	3.	Patient transferred to a non-institutional hospice	
	4.	Unknown because patient moved to a geographic location not served by this agency	
	5.	UK Other unknown [Go to M0906]	

	Reconciled Medication List to Subsequent Provider at Discha	arge			
	3 Patient transferred to a non-institutional hospice → Cont	inue to A2121, Provision of Current Reconciled Medication			
	List to Subsequent Provider at Discharge				
	 Unknown because patient moved to a geographic location Current Reconciled Medication List to Patient at Discharge 	on not served by this agency → Skip to A2123, Provision of			
	UK Other unknown → Skip to A2123, Provision of Current Reco	onciled Medication List to Patient at Discharge			
A2120. Provisi	on of Current Reconciled Medication List to Subsequent Provider at	t Transfer	TRF		
At the time of tr subsequent pro	ansfer to another provider, did your agency provide the patient's current vider?	reconciled medication list to the			
Enter Code	No - Current reconciled medication list not provided to to SOC/ROC	he subsequent provider → Skip to J1800, Any Falls Since			
	 Yes - Current reconciled medication list provided to the Current Reconciled Medication List Transmission to Subsequence 				
	NA - The agency was not made aware of this transfer tim				
A2121. Provisi	on of Current Reconciled Medication List to Subsequent Provider at	t Discharge	DC		
At the time of d subsequent pro	ischarge to another provider, did your agency provide the patient's currer vider?	nt reconciled medication list to the			
Enter Code	No - Current reconciled medication list not provided to Yes - Current reconciled medication list provided to the Current Reconciled Medication List Transmission to Subsequence.				
A2122. Route o	f Current Reconciled Medication List Transmission to Subsequent	Provider	TRF		
	te(s) of transmission of the current reconciled medication list to the subs		DC		
Route of Transi	nission	↓ Check all that apply ↓			
A. Electi	ronic Health Record				
	h Information Exchange Organization				
	I (e.g., in-person, telephone, video conferencing)				
	r-based (e.g., fax, copies, printouts)				
E. Other	Methods (e.g., texting, email, CDs)	Described A0400 Olive to B4000 Health Literature A Disabases			
		ompleting A2122, Skip to B1300, Health Literacy at Discharge	5.0		
	on of Current Reconciled Medication List to Patient at Discharge ischarge, did your facility provide the patient's current reconciled medical	cion list to the patient, family and/or caregiver?	DC		
Enter Code O. No - Current reconciled medication list not provided to the patient, family, and/or caregiver → Skip to B1300, Health Literacy 1. Yes - Current reconciled medication list provided to the patient, family, and/or caregiver → Continue to A2124, Route of Current Reconciled Medication List Transmission to Patient					
A2124. Route o	of Current Reconciled Medication List Transmission to Patient		DC		
Indicate the rou	te(s) of transmission of the current reconciled medication list to the patie	nt/family/caregiver.			
Route of Transi		↓ Check all that apply ↓			
	ronic Health Record				
	h Information Exchange Organization				
	al (e.g., in-person, telephone, video conferencing)				
	per-based (e.g., fax, copies, printouts)				
E. Other	Methods (e.g., texting, email, CDs)				

Patient remained in the community (without formal assistive services) → Skip to A2123, Provision of Current

Patient remained in the community (with formal assistive services) → Continue to A2121, Provision of Current

DC



M2420. Discharge Disposition

Enter Code

Where is the patient after discharge from your agency? (Choose only one answer.)

Reconciled Medication List to Patient at Discharge

OASIS-D	Sensory Status	
		000
M1200. Vision	with corrective lenses if the patient usually wears them):	SOC
Enter Code	0. Normal vision: sees adequately in most situations; can see medication labels, newsprint.	FU
	 Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length. 	
	2. Severely impaired: cannot locate objects without hearing or touching them, or patient nonresponsive.	

M1242. Frequency of Pain shown in section J

M1400. Dyspnea shown in section J




OASIS-E	Section B	Hearing, Speech, and Vision	В
B0200. Hearin	ng		SOC
Enter Code	0. Ade 1. Mini 2. Mod	r (with hearing aid or hearing appliances if normally used) quate - no difficulty in normal conversation, social interaction, listening to TV imal difficulty - difficulty in some environments (e.g., when person speaks softly, or setting is noisy) lerate difficulty - speaker has to increase volume and speak distinctly nly impaired - absence of useful hearing	
B1000. Visior	1		SOC
Enter Code	0. Ade 1. Impa 2. Mod 3. High	in adequate light (with glasses or other visual appliances) quate - sees fine detail, such as regular print in newspapers/books aired - sees large print, but not regular print in newspapers/books lerately impaired - limited vision; not able to see newspaper headlines but can identify objects nly impaired - object identification in question, but eyes appear to follow objects erely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects	
	you need to have	Creative Commons ©) someone help you when you read instructions, pamphlets, or other written material from your	SOC ROC DC
Enter Code	3. Ofte 4. Alwa 7. Patie	n	

OASIS-D Neuro / Emotional / Behavioral Status

M1730. Depression Screening (removed item) shown in section D

M1740. Cognitive, Behavioral, and Psychiatric Symptoms shown in section E

M1745. Frequency of Disruptive Behavior Symptoms shown in section E



C

OASIS-E Section C Cognitive Patterns



M1700. Cogniti	ive Functi	oning	SOC
Patient's curren simple comman	` •	ssessment) level of alertness, orientation, comprehension, concentration, and immediate memory for	ROC DC
Enter Code	0. 1. 2. 3.	Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (for example, on all tasks involving shifting of attention) or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.	
M1710. When Confused Reported or observed within the last 14 days.			
Enter Code	0. 1. 2. 3. 4. NA	Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly Constantly Patient nonresponsive	
M1720. When A		nin the last 14 days.	SOC ROC DC
Enter Code	0. 1. 2. 3. NA	None of the time Less often than daily Daily, but not constantly All of the time Patient nonresponsive	



C1310. Signs a	nd Symptoms of Delirium (from CA	M©)	SOC			
Code after c	ompleting Brief Interview for Mental	Status and reviewing medical record.	ROC			
A. Acute	Onset of Mental Status Change		DC			
Enter Code	Is there evidence of an acute cha 0. No 1. Yes	nge in mental status from the patient's baseline?				
		↓ Enter Codes in Boxes				
Coding: 0. Behavior not present 1. Behavior continuously present, does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in severity)		B. Inattention - Did patient have difficulty focusing attention, for example, being easily distractible or having difficulty keeping track of what was being C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?				
(comes a	na good, onangoo in ooverity)	D. Altered level of consciousness - Did the patient have altered level of consciousness, as indicated by any of the following criteria? • Vigilant - startled easily to any sound or touch • Lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch • Stuporous - very difficult to arouse and keep aroused for the interview • Comatose - could not be aroused				
M1700. Cogniti Patient's current simple comman	t (day of assessment) level of alertne	ss, orientation, comprehension, concentration, and immediate memory for	SOC ROC DC			
Enter Code						
M1710. When C	Confused		SOC			
Reported or Obs	served Within the Last 14 Days.		ROC DC			
Enter Code	· · · · · · · · · · · · · · · · · · ·					
M1720. When A	Anxious		SOC			
Reported or Obs	served Within the Last 14 Days.		ROC DC			
Enter Code 0. None of the time 1. Less often than daily 2. Daily, but not constantly 3. All of the time NA Patient nonresponsive						

M1730. Depres Depression Scr		•	ient been screened for depre	ession, using	a standardized,	, validated depression s	screening tool?				
Enter Code	0. 1.	Instruct	No Yes, patient was screened using the PHQ-2©* scale. Instructions for this two-question tool: Ask patient: "Over the last two weeks, how often have you been bothered by any of the following problems?"								
			PHQ-2©*	Not at all 0-1 day	Several days 2-6 days	More than half of the days 7-11 days	Nearly every day 12-14 days	NA Unable to respond			
		a)	Little interest or pleasure in doing things	0	1	□ 2	□ 3	□ NA			
		b)	Feeling down, depressed, or hopeless?	0	1	2	□ 3	□ NA			
	2.		itient was screened with a di	fferent stand	ardized, validate	ed assessment and the	patient meets criter	ia for further			
	3.		es considerable assistance in ns more than half the time.	n routine situ	ations. Is not ale	ert and oriented or is un	able to shift attention	n and recall			
	4.		tient was screened with a di evaluation for depression.	fferent stand		ed assessment and the	patient does not me				

M1740. Cognitive, Behavioral, and Psychiatric Symptoms shown in section E

M1745. Frequency of Disruptive Behavior Symptoms shown in section E

OASIS-D Neuro / Emotional / Behavioral Status (continued)



SOC ROC

DASIS-E	Section D	Mood	
		•	•

D0150. Patient Mood Interview (PHQ-2 to 9)			soc			
Say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"			ROC DC			
If symptom is present, enter 1 (yes) in column 1, Symptom Presence. If yes in column 1, then ask the patient: "About how often have you been bothered by this?" Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom	om Frequency.					
1. Symptom Presence O. No (enter 0 in column 2) O. Never or 1 day O. Never or 1 day O. No (enter 0-3 in column 2) O. Never or 1 day O. Never or 1 day O. No response (leave column 2 blank)	1. Symptom Presence	2. Symptom Frequency				
3. 12-14 days (nearly every day)	↓ Enter Scores in Boxes ↓					
A. Little interest or pleasure in doing things						
B. Feeling down, depressed, or hopeless						
If either D150A2 or D150B2 is coded 2 or 3, CONTINUE asking the questions below. If not, END the PHQ interview	V.					
C. Trouble falling or staying asleep, or sleeping too much						
D. Feeling tired or having little energy						
E. Poor appetite or overeating						
F. Feeling bad about yourself – or that you are a failure or have let yourself or your family down						
G. Trouble concentrating on things, such as reading the newspaper or watching television						
H. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual						
I. Thoughts that you would be better off dead, or of hurting yourself in some way						
D0160. Total Severity Score			SOC			
Enter Score Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)	Enter Score Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter					
D0700. Social Isolation How often do you feel lonely or isolated from those around you?						
Enter Code 0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 7. Patient declines to respond 8. Patient unable to respond			DC			

	itive, Behavioral, and Psychiatric Symptoms that ar	e demonstrated	at least once a v	<u>week</u> (reported o	r observed)		s
↓ Check	k all that apply 1. Memory deficit: failure to recognize fam	iliar persons/plac	ces, inability to re	ecall events of na	ast 24 hours		R
	significant memory loss so that supervisi		0,ability to 10	2101110 01 pi			
	Impaired decision-making: failure to perform the state of the through the state of the stat	erform usual ADL	s or IADLs, inab	oility to appropria	tely stop activitie	es,	
	jeopardizes safety through actions 3. Verbal disruption: yelling, threatening, or	evcessive profan	ity savual refere	ances etc			
	4. Physical aggression: aggressive or con		•		hrows objects, p	ounches,	
_	dangerous maneuvers with wheelchair or		,		, ,	•	
	5. Disruptive, infantile, or socially inappr	-	or (excludes verb	oal actions)			
	6. Delusional, hallucinatory, or paranoid 7. None of the above behaviors demonst						
	nency of Disruptive Behavior Symptoms (reported o						S
-	verbal, or other disruptive/dangerous symptoms that a	•	If or others or jed	opardize persona	al safety.		R
Forton Octob		•	,				_ [
Enter Code	Never Less than once a month						
	2. Once a month						
	Several times each month						
	Several times a week						
	5. At least daily						
							_
ASIS-D	Living Arrangements / Care Manageme	nt					
	ent Living Situation		1.99	0			S
Vhich of the f	following best describes the patient's residential circum	istance and avail					R
		Around the	Regular	Regular	Occasional/	No Assistance	
iving Arrang	gement	Clock	Daytime	Nighttime	Short-Term	Available	
			↓ (Check one box o	nly ↓	•	
A. Pa	tient lives alone	□ 01	□ 02	□ 03	□ 04	□ 05	
В. Ра	tient lives with other person(s) in the home	□ 06	□ 07	□ 08	□ 09	□ 10	
	tient lives in congregate situation	1 1	<u> </u>	□ 13	1 4	□ 15	
•	r example, assisted living, residential care home)						-
, ,	ability and willingness of non-agency caregivers (such	n as family memb	oers friends or i	orivately paid car	regivers) to		
	ance for the following activities, if assistance is needed				og., o.o, to		
Enter Code	A. ADL assistance (for example, transfer/ambulate	tion, bathing, dre	ssina, toiletina, e	eating/feeding)			[
	No assistance needed - patient is independent of the control	•		•			
	Non-agency caregiver(s) currently provid						
	Non-agency caregiver(s) need training/su		•				
	Non-agency caregiver(s) are not likely to Assistance needed, but no non-agency of			lear if they will pr	ovide assistanc	е	
	4. Assistance needed, but no non-agency of	alegivei(3) availa	abie				
Enter Code	C. Medication administration (for example, oral,	inhaled or injecta	able)				[
Ш	No assistance needed - patient is indeper		ot have needs in	this area			
	Non-agency caregiver(s) currently provid						
	 Non-agency caregiver(s) need training/st Non-agency caregiver(s) are not likely to 				ovido assistano	2	
	4. Assistance needed, but no non-agency of			lear ii tiley wili pi	Ovide assistant	e	
	1	- ` '					
Enter Code	D. Medical procedures/treatments (for example,		_		ım)		I
Ш	No assistance needed - patient is indepe Non-agency caregiver(s) currently provid		ot have needs in	this area			
	Non-agency caregiver(s) currently provid Non-agency caregiver(s) need training/su		s to provide assi	istance			
	3. Non-agency caregiver(s) are not likely to				ovide assistanc	е	
	4. Assistance needed, but no non-agency of			yı			
F							┨
Enter Code	F. Supervision and safety (for example, due to c	-		this area			S
	No assistance needed - patient is indeper Non-agency caregiver(s) currently provid		or nave needs in	uns area			R
	Non-agency caregiver(s) currently provid Non-agency caregiver(s) need training/st		s to provide assi	istance			
	3. Non-agency caregiver(s) are not likely to				ovide assistanc	е	
	4. Assistance needed, but no non-agency of	•					

OASIS-D Neuro / Emotional / Behavioral Status (continued)



OASIS-E	Section E	Behavior								
		and Psychiatric Symptoms that are	e demonstrated a	at least once a w	<u>/eek</u> (reported o	r observed)				
→ Check	all that apply 1. Men	nory deficit: failure to recognize fami	liar persons/plac	es, inability to re	ecall events of p	ast 24 hours,				
		ificant memory loss so that supervision		IADI - ! I		4 - 1 4 41 - 141				
		aired decision-making: failure to pe ardizes safety through actions	norm usuai ADL	s or IADLS, Inab	ility to appropria	itely stop activitie	es,			
		oal disruption: yelling, threatening, e		•						
		sical aggression: aggressive or com gerous maneuvers with wheelchair or		d others (for exa	mple, hits self, t	throws objects, p	ounches,			
		ruptive, infantile, or socially inappre		r (excludes verb	al actions)					
M1745. Freque		e of the above behaviors demonstr ve Behavior Symptoms (reported or								
-	•	sruptive/dangerous symptoms that ar	,	f or others or jec	pardize persona	al safety.				
Enter Code	0. Nev	er								
		s than once a month								
		e a month eral times each month								
		eral times a week								
	5. At le	east daily								
OASIS-E	Section F	Preferences for Customar	y Routine Ac	tivities						
	nt Living Situation	on cribes the patient's residential circums	stance and avails	ahility of assistar	nce?					
VVIIION OF THE TE	blowing best desc	onbes the patient's residential electric	starioc and avail		lability of Assis	stance				
Living Arrange	ement		Around the	Regular	Regular	Occasional/	No Assistance			
Living Artung			Clock	Daytime	Nighttime heck one box o	Short-Term	Available			
A. Pat	ient lives alone		<u></u> 01	□ 02	□ 03	□ 04	□ 05			
B. Pat	ient lives with o	ther person(s) in the home	<u></u> 06			<u></u> 09	10			
		gregate situation	<u> </u>	<u> </u>	□ 13	<u> </u>	□ 15			
,	and Sources of	ed living, residential care home) Assistance								
		ness of non-agency caregivers (such	as family memb	ers, friends, or p	rivately paid ca	regivers) to				
provide assista	nce for the follow	ving activities, if assistance is needed	. Excludes all ca	re by your agend	cy staff.					
Enter Code		tance (for example, transfer/ambulati	•		•					
Ш		assistance needed - patient is indeper -agency caregiver(s) currently provide		t have needs in	this area					
	2. Non	-agency caregiver(s) need training/su	pportive services	•						
		 -agency caregiver(s) are not likely to stance needed, but no non-agency ca 			ear if they will pr	rovide assistanc	е			
	4. 7001	Started recorded, but no non agoney of	aregiver(5) availe							
Enter Code		n administration (for example, oral, lassistance needed - patient is indepe	•	,	this area					
		-agency caregiver(s) currently provide		t nave needs in	uns arca					
		-agency caregiver(s) need training/su								
		 -agency caregiver(s) are not likely to stance needed, but no non-agency ca 			ear if they will pr	ovide assistanc	е			
							_			
Enter Code		rocedures/treatments (for example, assistance needed - patient is independent		-		am)				
		-agency caregiver(s) currently provide		t nave needs in	uns arca					
		-agency caregiver(s) need training/su								
		 -agency caregiver(s) are not likely to stance needed, but no non-agency ca 			ear if they will pr	ovide assistanc	е			
Enter Code		on and safety (for example, due to co	-	•	this area					
Ш		assistance needed - patient is indeper -agency caregiver(s) currently provide		THAVE HEEUS IN	นแจ					
	2. Non	-agency caregiver(s) need training/su	pportive services							
		 -agency caregiver(s) are not likely to stance needed, but no non-agency ca 			ear it they will pr	ovide assistanc	e			
	1 , , , , , , , , ,	=, ====g = o y o.	5 - (-/ 5.5116							

OASIS-D	ADL / IADLs	ı	OA
M1800. Groon	ning	soc	M18
	to tend safely to personal hygiene needs (specifically: washing face and hands, hair care, shaving or make up, teeth	ROC	Cur
or denture care	e, or fingernail care).	FU	or d
Enter Code	Able to groom self unaided, with or without the use of assistive devices or adapted methods.	DC	E
Ш	Grooming utensils must be placed within reach before able to complete grooming activities.	1	
	Someone must assist the patient to groom self. Detient depends entirely upon semeone also for grooming peeds.	1	
	Patient depends entirely upon someone else for grooming needs.	ı	
	nt Ability to Dress <u>Upper</u> Body safely (with or without dressing aids) including undergarments, pullovers, front-	SOC	M18
Enter Code	and blouses, managing zippers, buttons, and snaps. 0. Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.	ROC FU	ope E
	Able to dress upper body without assistance if clothing is laid out or handed to the patient.	DC	-
	Someone must help the patient put on upper body clothing.		
	Patient depends entirely upon another person to dress the upper body.	1	
1820. Curre	nt Ability to Dress Lower Body safely (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes.	SOC	M1
Enter Code	O. Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.	ROC	E
	Able to dress upper body without assistance if clothing is laid out or handed to the patient.	FU	
_	Someone must help the patient put on upper body clothing.	DC	
	Patient depends entirely upon another person to dress the upper body.	1	
1830. Bathir	na	SOC	M1
	to wash entire body safely. <u>Excludes</u> grooming (washing face, washing hands, and shampooing hair).	ROC	Cui
Enter Code	O. Able to bathe self in shower or tub independently, including getting in and out of tub/shower.	FU	E
	With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower.	DC	
	2. Able to bathe in shower or tub with the intermittent assistance of another person:		
	a. for intermittent supervision or encouragement or reminders, <u>OR</u>	1	
	b. to get in and out of the shower or tub, <u>OR</u>	1	
	 c. for washing difficult to reach areas. 3. Able to participate in bathing self in shower or tub, but requires presence of another person throughout the bath for 	1	
	assistance or supervision.	1	
	4. Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in	1	
	chair, or on commode.	1	
	5. Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on	1	
	commode, with the assistance or supervision of another person.	1	
	6. Unable to participate effectively in bathing and is bathed totally by another person.	1	
11840. Toilet	Transferring	soc	M1
urrent ability	to get to and from the toilet or bedside commode safely and transfer on <u>and</u> off toilet/commode.	ROC	Cu
Enter Code	Able to get to and from the toilet and transfer independently with or without a device.	FU DC	E
Ш	1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.		
	 Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 	1	
	 Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. Is totally dependent in toileting. 	1	
	l v		
11845. Toileti		SOC	M1
	to maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, Ipan, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment.	ROC DC	Cu
Enter Code	O. Able to manage toileting hygiene and clothing management without assistance.		E
	Able to manage toileting hygiene and clothing management without assistance. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for	1	'
	the patient.	1	
	2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing.	1	
	Patient depends entirely upon another person to maintain toileting hygiene.	1	
11850. Trans	ferrina	SOC	M1
	to move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast.	ROC	Cu
Enter Code	Able to independently transfer.	FU	E
	Able to transfer with minimal human assistance or with use of an assistive device.	DC	
	Able to bear weight and pivot during the transfer process but unable to transfer self.		
	 Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 		
	4. Bedfast, unable to transfer but is able to turn and position self in bed.		
	5. Bedfast, unable to transfer and is unable to turn and position self.		
1860. Ambu	lation/Locomotion	SOC	M
urrent ability	to walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.	ROC	Cu
Enter Code	Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically:	FU	-
	needs no human assistance or assistive device).	DC	
	1. With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on		
	even and uneven surfaces and negotiate stairs with or without railings.		
	2. Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level surface and/or		
	requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.		
	 Able to walk only with the supervision or assistance of another person at all times. Chairfast, unable to ambulate but is able to wheel self independently. 		
	 Chairfast, <u>unable</u> to ambulate and is unable to wheel self. Chairfast, <u>unable</u> to ambulate and is unable to wheel self. 		
	6. Bedfast, unable to ambulate or be up in a chair.		
	· · · · · · · · · · · · · · · · · · ·		



	Section G Functional Status
M1800. Groomi	na
	tend safely to personal hygiene needs (specifically: washing face and hands, hair care, shaving or make up, teeth
-	or fingernail care).
Enter Code	Able to groom self unaided, with or without the use of assistive devices or adapted methods.
	Grooming utensils must be placed within reach before able to complete grooming activities.
	2. Someone must assist the patient to groom self.
	Patient depends entirely upon someone else for grooming needs.
	Ability to Dress <u>Upper</u> Body safely (with or without dressing aids) including undergarments, pullovers, front- nd blouses, managing zippers, buttons, and snaps.
Enter Code	O. Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
	Able to dress upper body without assistance if clothing is laid out or handed to the patient.
	2. Someone must help the patient put on upper body clothing.
	Patient depends entirely upon another person to dress the upper body.
M1820. Current	Ability to Dress Lower Body safely (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes.
Enter Code	Able to obtain, put on, and remove clothing and shoes without assistance.
	1. Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
	2. Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
	Patient depends entirely upon another person to dress lower body.
M1830. Bathing	
	wash entire body safely. Excludes grooming (washing face, washing hands, and shampooing hair).
Enter Code	Able to bathe self in <u>shower or tub</u> independently, including getting in and out of tub/shower.
Ш	1. With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower.
	Able to bathe in shower or tub with the intermittent assistance of another person: a. for intermittent supervision or encouragement or reminders, <u>OR</u>
	b. to get in and out of the shower or tub, <u>OR</u>
	c. for washing difficult to reach areas.
	3. Able to participate in bathing self in shower or tub, but requires presence of another person throughout the bath for
	assistance or supervision.
	 Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode.
	5. Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on
	commode, with the assistance or supervision of another person.
	6. Unable to participate effectively in bathing and is bathed totally by another person.
M1840. Toilet Ti	ransferring
	get to and from the tollet or deaside commode safely and transfer on and off tollet/commode.
Enter Code	get to and from the toilet or bedside commode safely and transfer on <u>and</u> off toilet/commode. 0. Able to get to and from the toilet and transfer independently with or without a device.
Enter Code	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.
Enter Code	 Able to get to and from the toilet and transfer independently with or without a device. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
Enter Code	 Able to get to and from the toilet and transfer independently with or without a device. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. <u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance). <u>Unable</u> to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
Enter Code	 Able to get to and from the toilet and transfer independently with or without a device. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
	 Able to get to and from the toilet and transfer independently with or without a device. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. Is totally dependent in toileting.
M1845. Toileting	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. G Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet,
M1845. Toileting Current ability to commode, bedp	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment.
M1845. Toileting	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. G Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance.
M1845. Toileting Current ability to commode, bedp	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment.
M1845. Toileting Current ability to commode, bedp	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. G Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for
M1845. Toileting Current ability to commode, bedp	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. G Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient.
M1845. Toileting Current ability to commode, bedpa Enter Code	 Able to get to and from the toilet and transfer independently with or without a device. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. Is totally dependent in toileting. g Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. Able to manage toileting hygiene and clothing management without assistance. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. Patient depends entirely upon another person to maintain toileting hygiene.
M1845. Toileting Current ability to commode, bedpo Enter Code	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene.
M1845. Toileting Current ability to commode, bedpa Enter Code M1850. Transfet Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene.
M1845. Toileting Current ability to commode, bedpo Enter Code	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene.
M1845. Toileting Current ability to commode, bedpa Enter Code M1850. Transfet Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer.
M1845. Toileting Current ability to commode, bedpa Enter Code M1850. Transfet Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
M1845. Toileting Current ability to commode, bedpa Enter Code M1850. Transfet Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed.
M1845. Toileting Current ability to commode, bedpa Enter Code M1850. Transfet Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
M1845. Toileting Current ability to commode, bedpa Enter Code M1850. Transfer Current ability to Enter Code	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed.
M1845. Toileting Current ability to commode, bedpa Enter Code M1850. Transfer Current ability to Enter Code M1860. Ambula	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to turn and position self.
M1845. Toileting Current ability to commode, bedpa Enter Code M1850. Transfer Current ability to Enter Code M1860. Ambula	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer and is unable to bear weight or pivot when transferred by another person. 5. Bedfast, unable to transfer and is unable to turn and position self. 1. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically:
M1845. Toileting Current ability to commode, bedpore Enter Code M1850. Transfer Current ability to Enter Code M1860. Ambular Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer and is unable to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to turn and position self. Stion/Locomotion walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces. O. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device).
M1845. Toileting Current ability to commode, bedpore Enter Code M1850. Transfer Current ability to Enter Code M1860. Ambular Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in tolleting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to independently transfer. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to turn and position self. 8. Bedfast, unable to transfer and is unable to turn and position self. 8. Bedfast, unable to transfer and is unable to turn and position, on a variety of surfaces. O. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). 1. With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on
M1845. Toileting Current ability to commode, bedpore Enter Code M1850. Transfer Current ability to Enter Code M1860. Ambular Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 4. Is totally dependent in toileting. g Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Tring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to turn and position self. 18ton/Locomotion walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces. O. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). 1. With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings.
M1845. Toileting Current ability to commode, bedpore Enter Code M1850. Transfer Current ability to Enter Code M1860. Ambular Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 4. Is totally dependent in toileting. 3 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. 7 In Able to independently transfer. 1. Able to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to turn and position self. 8. Bedfast, unable to transfer and is unable to turn and position self. 8. Bedfast, unable to transfer and is unable to turn and position self. 8. Bedfast, unable to transfer and is unable to turn and position self. 8. Bedfast, unable to transfer and is unable to turn and position self. 9. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). 1. With the use of a one-handed device (for example, cane, sing
M1845. Toileting Current ability to commode, bedpo Enter Code M1850. Transfer Current ability to Enter Code M1860. Ambular Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to turn and position self. 1. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). 1. With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven and uneven surfaces an
M1845. Toileting Current ability to commode, bedpo Enter Code M1850. Transfer Current ability to Enter Code M1860. Ambular Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. Pring move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. 1. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer with minimal human assistance or with use of an assistive device. 2. Able to bear weight and pivot during the transfer process but unable to transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self in bed. 5. Bedfast, unable to transfer and is unable to turn and position self. 1tion/Locomotion walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces. O. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). 1. With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independent
M1845. Toileting Current ability to commode, bedpo Enter Code M1850. Transfer Current ability to Enter Code M1860. Ambular Current ability to	O. Able to get to and from the toilet and transfer independently with or without a device. 1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. 2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). 3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. 4. Is totally dependent in toileting. 9 Hygiene maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, an, urinal. If managing ostomy, includes cleaning area around stoma, but not anaging equipment. O. Able to manage toileting hygiene and clothing management without assistance. 1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. 2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. 3. Patient depends entirely upon another person to maintain toileting hygiene. **Tring** move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast. O. Able to independently transfer. Able to bear weight and pivot during the transfer process but unable to transfer self. 3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4. Bedfast, unable to transfer but is able to turn and position self. 5. Bedfast, unable to transfer but is able to turn and position self. **Stor/Locomotion** walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces. O. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). O. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings. 2. Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level su

OAS	SIS-D	Function	onal Abilit	ies and Go	oals						
			ing: Everyda	-	vitios prior	to the current illness, executation, or injury					
IIIuica	ate the p	allerii s usu	al ability With	everyuay acti	_	to the current illness, exacerbation, or injury.					
	Coding: 3. Independent - Patient completed all the activities by him/herself, with or without an assistive device, with no assistance from a helper. 2. Needed Some Help - Patient needed partial assistance from another person to complete any activities. 1. Dependent - A helper completed all the activities for the patient. 8. Unknown				↓ Enter C	A. Self Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.					
2.						B. Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch or walker) prior to the current illness, exacerbation, or injury. C. Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation or injury.					
		plicable				D. Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.					
		or Device U		noticet	a th = ···	et illegge everethetion er initiation					
Indica			-	patient prior t	o the curre	nt illness, exacerbation, or injury.					
		k all that ap		alaba!::							
		A. B.	Manual whe	elchair heelchair and	or scooter						
	H		Mechanical		or scooler						
			Walker								
	ō	E.	Orthotics/Pre	osthetics							
		Z.	None of the	above							
GG01	130. Sel	f Care									
				patient's usua goal(s) using t		nce for each activity using the 6 point scale. If activity was not attempted, code the scale.					
						de discharge goal(s).					
Codi						3 3 (7					
amou	int of as	sistance pro	vided.	If helper assi		equired because patient's performance is unsafe or of poor quality, score according to					
		· · · · · · · · · · · · · · · · · · ·				self with no assistance from a helper.					
					,	ns up; patient completes activity. Helper assists only prior to or following the activity.					
	Super	ision or to	uching assis	stance - Help	er provides	verbal cues and/or touching/steadying and/or contact guard assistance as patient out the activity or intermittently.					
03.	Partial		assistance -			N HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less					
02.	Substa half the		mal assistan	ce - Helper do	oes MORE	THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than					
01.				of the effort. P		none of the effort to complete the activity. Or, the assistance of 2 or more helpers					
If acti	vity was	not attemp	ted, code rea	son:							
-		t refused									
		-		-	-	perform this activity prior to the current illness, exacerbation or injury.					
10.						, lack of equipment, weather constraints)					
	not att		e to medical [at Fol-Up]	conditions of	n salety C	DILCHIIS					
	SOC/	2. DC	4. Fol-Up	3. DC							
	Perf	Goal	Perf	Perf							
		Enter Code	es in Boxes ↓	,							
	$\sqcap \mathbb{I}$					ting: The ability to use suitable utensils to bring food and/or liquid to the mouth					
						d swallow food and/or liquid once the meal is placed before the patient. al Hygiene: The ability to use suitable items to clean teeth. Dentures (if					
		Ш			ар	plicable): The ability to insert and remove dentures into and from mouth, and					
						anage denture soaking and rinsing with use of equipment.					
					aft	ileting Hygiene: The ability to maintain perineal hygiene, adjust clothes before and er voiding or having a bowel movement. If managing an ostomy, include wiping the ening but not managing equipment.					
						nower/bathe self: The ability to bathe self, including washing, rinsing, and drying					
					F. Up	If (excludes washing of back and hair). Does not include transferring in/out of oper body dressing: The ability to dress and undress above the waist; including steners, if applicable.					
					G. Lo	wer body dressing: The ability to dress and undress below the waist, including steners; does not include footwear.					
	$\overline{\Box}$				H. Pu	atting on/taking off footwear: The ability to put on and take off socks and shoes or one footwear that is appropriate for safe mobility; including fasteners, if applicable.					



OASIS-E	Section GG	Functional Abilities and Goals	GC

		Gomey Willi	avaay act	_	to the current illness, exacerbation, or injury. Codes in Boxes
N				↓ Enter (
oding: 3. Indep	endent - Pati	ient complete	ed all the		A. Self Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.
-	ies by him/he	•			
	ive device, wi	th no assistar	nce from a		B. Indoor Mobility (Ambulation): Code the patient's need for assistance with
helper					walking from room to room (with or without a device such as cane, crutch or
	ed Some Hel	•			walker) prior to the current illness, exacerbation, or injury.
	assistance fr ete any activi		person to		C. Chaires, Code the matientic model for exciptor as with intermed an external atoms
	-		d all tha		C. Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current
	ndent - A help ies for the pat		u all tile		illness, exacerbation or injury.
8. Unkne					
	pplicable				D. Functional Cognition: Code the patient's need for assistance with
					planning regular tasks, such as shopping or remembering to take
					medication prior to the current illness, exacerbation, or injury.
G0110. Pr	ior Device Us	se			
ndicate dev	ices and aids	used by the	patient prior	to the curre	nt illness, exacerbation, or injury.
	ck all that app	•			, ,
		Manual whee	elchair		
		Motorized wh		l/or scooter	
	C.	Mechanical li	ift		
		Walker			
		Orthotics/Pro			
00420 00		None of the a	above		
G0130. Se		01 0 1 11			
	e the patient's				nce for each activity using the 6 point scale. If activity was not attempted, code the
	Use of codes	07, 09, 10 0	r 88 is permis	ssidie to co	de discharge goal(s).
Coding:	Quality of Po	rformanco -	If helper acc	ietance ie r	equired because patient's performance is unsafe or of poor quality, score according to
-	ssistance prov		ii iicipei ass	istance is i	equired because patient's performance is unsale of of poor quality, score according to
	y be complete		thout assistiv	e devices	
	• •				self with no assistance from a helper.
				-	ns up; patient completes activity. Helper assists only prior to or following the activity.
					verbal cues and/or touching/steadying and/or contact guard assistance as patient
-		_			out the activity or intermittently.
03. Partia	I/moderate a	ssistance - I	Helper does	LESS THA	N HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less
	alf the effort.				
		nal assistand	ce - Helper d	oes MORE	THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than
	e effort.		. f. 41 ff 4 . F	N-4141	file ffeet to consist the October 1990 and the Octo
-	naent - Heipe uired for the p				s none of the effort to complete the activity. Or, the assistance of 2 or more helpers
	s not attempte		-		
07. Patier	•	ou, coue reas	, J. 11.		
		ot attempted	and the nation	ent did not	perform this activity prior to the current illness, exacerbation or injury.
					, lack of equipment, weather constraints)
	ttempted due				· ·
	C/ROC]	[at Fol-Up]	[at DC]		
1. SOC/	2. DC	4. Fol-Up	3. DC		
ROC Perf	Goal	Perf	Perf		
	↓ Enter Code	s in Boxes ↓		^ -	Allows The ability to the activity of the best of the desired of the Control of t
					ting: The ability to use suitable utensils to bring food and/or liquid to the mouth d swallow food and/or liquid once the meal is placed before the patient.
					al Hygiene: The ability to use suitable items to clean teeth. Dentures (if
					plicable): The ability to insert and remove dentures into and from mouth, and
					anage denture soaking and rinsing with use of equipment.
					ileting Hygiene: The ability to maintain perineal hygiene, adjust clothes before and
				af	er voiding or having a bowel movement. If managing an ostomy, include wiping the
				-	ening but not managing equipment.
					ower/bathe self: The ability to bathe self, including washing, rinsing, and drying
				se	If (excludes washing of back and hair). Does not include transferring in/out of
				_	
				-	oper body dressing: The ability to dress and undress above the waist; including
				fa	steners, if applicable.
				fa: G. L o	steners, if applicable. weer body dressing: The ability to dress and undress below the waist, including
				fa: G. Lo fa:	steners, if applicable.

GG0170. Mobility

[SOC/ROC/Follow-Up/DC] Code the patient's usual performance for each activity using the 6 point scale. If activity was not attempted, code the reason. Code the patient's discharge goal(s) using the 6 point scale.

[SOC/ROC] Use of codes 07, 09, 10 or 88 is permissible to code discharge goal(s).

Safety and Quality of Performance - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. Supervision or touching assistance Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. Partial/moderate assistance Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort
- 02. Substantial/maximal assistance Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort
- 01. Dependent Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.

	-			ns (e.g., lack of equipment, weather constraints)	
	C/ROC]	[at Fol-Up]	[at DC]	afety concerns	
1. SOC/	2. DC	4. Fol-Up	3. DC		
ROC Perf	Goal	Perf	Perf		
	↓ Enter Code	es in Boxes ↓			
				Roll left and right: The ability to roll from lying on back to left and right s return to lying on back on the bed.	ide, and
	Н	Ш		Sit to lying: The ability to move from sitting on side of bed to lying flat or	
				c. Lying to sitting on side of bed: The ability to move from lying on the bad on the side of the bed with feet flat on the floor, and with no back support	-
				 Sit to stand: The ability to come to a standing position from sitting in a c wheelchair, or on the side of the bed. 	hair,
	Н	Н		Chair/bed to chair transfer: The ability to transfer to and from a bed to wheelchair).	a chair (or
				. Toilet transfer: The ability to get on and off a toilet or commode.	
				Car transfer: The ability to transfer in and out of a car or van on the pass Does not include the ability to open/close door or fasten seat belt.	_
П	П		П	 Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room similar space. If performance is coded 07, 09, 10 or 88 →skip to GG0170M, 1 step (cur. 	
				. Walk 50 feet with two turns: Once standing, the ability to walk 50 feet a turns.	nd make two
				Walk 150 feet: Once standing, the ability to walk at least 150 feet in a co similar space.	rridor or
	П			 Walking 10 feet on uneven surfaces: The ability to walk 10 feet on une sloping surfaces (indoor or outdoor), such as turf or gravel. 	ven or
				1. 1 step (curb): The ability to go up and down a curb and/or up and down of the formance is coded 07, 09, 10 or 88, → Skip to GG0170P, Picking up	-
	П		П	I. 4 steps: The ability to go up and down four steps with or without a rail. If performance is coded 07, 09, 10 or 88, → Skip to GG0170P, Picking up	o object.
	П		П	2. 12 steps: The ability to go up and down 12 steps with or without a rail.	
	П		Ш	Picking up object: The ability to bend/stoop from a standing position to small object, such as a spoon, from the floor.	pick up a
				Q1/Q3/Q4. Does patient use wheelchair and/or a scooter? 0. No → Skip GG0170R, GG0170RR1, GG0170S, and GG0170SS. 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns.	
	П			Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the a wheel at least 50 feet and make two turns.	bility to
				RR1/RR3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized	
				Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel a feet in a corridor or similar space.	at least 150
				SS1/SS3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized	



GG0170. Mobility

[SOC/ROC/Follow-Up/DC] Code the patient's usual performance for each activity using the 6 point scale. If activity was not attempted, code the reason. Code the patient's discharge goal(s) using the 6 point scale.

[SOC/ROC] Use of codes 07, 09, 10 or 88 is permissible to code discharge goal(s).

SOC

ROC

FU

DC

Safety and Quality of Performance - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Patient completes the activity by him/herself with no assistance from a helper.
- 05. Setup or clean up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. Supervision or touching assistance Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. Partial/moderate assistance Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort
- 02. Substantial/maximal assistance Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort
- 01. Dependent Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:


- 07. Patient refused

				ent did not perform this activity prior to the current illness, exacerbation or injury.
				ations (e.g., lack of equipment, weather constraints)
	ttemptea au C/ROC]	[at Fol-Up]	[at DC]	or safety concerns
1. SOC/	2. DC	4. Fol-Up	3. DC	
ROC Perf	Goal	Perf	Perf	
	↓ Enter Code	es in Boxes ↓		
				A. Roll left and right: The ability to roll from lying on back to left and right side, and
				return to lying on back on the bed.
				B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
				C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.
				 Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
				E. Chair/bed to chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
				F. Toilet transfer: The ability to get on and off a toilet or commode.
				G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
				 Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If performance is coded 07, 09, 10 or 88 → skip to GG0170M, 1 step (curb).
	Ш			J. Walk 50 feet with two turns: Once standing, the ability to walk 50 feet and make two turns.
				K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.
				L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
				M. 1 step (curb): The ability to go up and down a curb and/or up and down one step.
				If performance is coded 07, 09, 10 or 88, → Skip to GG0170P, Picking up object.
				N. 4 steps: The ability to go up and down four steps with or without a rail.
	Ш			O. 12 steps: The ability to go up and down 12 steps with or without a rail.
	Ш			P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
				 Q. Does patient use wheelchair and/or a scooter? 0. No → Skip GG0170R, GG0170RR1, GG0170S, and GG0170SS. 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns.
	Ш			R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
				RR1/RR3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized
				S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
				SS1/SS3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized

ROC FU DC

OASIS-D	Elimination Status		
M4COO Llos th	is unable and the second of th	a mark 4.4 days 2	soc
	is patient been treated for a Urinary Tract Infection in th	e past 14 days?	ROC
Enter Code	0. No 1. Yes		DC
	NA Patient on prophylactic treatment		
	UK Unknown [Omit "UK" option on DC]		
M1610. Urinar	y Incontinence or Urinary Catheter Presence		SOC
Enter Code	No incontinence or catheter (includes anuria	or ostomy for urinary drainage)	FU
	Patient is incontinent Patient requires a urinary catheter (specifical)	illy: external, indwelling, intermittent, or suprapubic)	
M1620 Rowol	Incontinence Frequency		SOC
			ROC
Enter Code	Very rarely or never has bowel incontinenceLess than once weekly		FU DC
	2. One to three times weekly		
	3. Four to six times weekly		
	4. On a daily basis		
	5. More often than once daily NA Patient has ostomy for bowel elimination		
	UK Unknown [Omit "UK" option on DC]		
M1630. Ostom	ny for Bowel Elimination		SOC
		ast 14 days): a) was related to an inpatient facility stay; or b) necessitated a	ROC
change in med	lical or treatment regimen?		FU
Enter Code	0. Patient does <u>not</u> have an ostomy for bowel e		
		ient stay and did <u>not</u> necessitate change in medical or treatment regimen.	
	2. The ostomy <u>was</u> related to an inpatient stay	or <u>did</u> necessitate change in medical or treatment regimen.	j
	1		1
OASIS-D	Patient Diagnoses		l
M1021 Prima	ry Diagnosis & M1023. Other Diagnoses		1
WITOZI. FIIII	Column 1	Column 2	ł
	quencing of diagnoses should reflect the seriousness of	ICD-10-CM and symptom control rating for each condition. Note that the	
	and support the disciplines and services provided)	sequencing of these ratings may not match the sequencing of the diagnoses	
M1021. Prima	ry Diagnosis	T	SOC
Α.		V, W, X, Y codes NOT allowed A. 0 0 1 0 2 3 4	FU (o)
	Diagnasia	7	000
M1023. Other	Diagnosis	All ICD-10-CM codes allowed	SOC
В		B.	FU (o)
		All ICD-10-CM codes allowed	
C		C. 0 1 2 3 4	
		All ICD-10-CM codes allowed	
D		D. 0 1 2 3 4	
		All ICD-10-CM codes allowed	
E		E. 0 1 2 3 4	1
		All ICD-10-CM codes allowed	
F		F. 0 1 2 3 4	
	Diagnoses - Comorbidities and Co-existing Condition		SOC
	uidance Manual for a complete list of relevant ICD-10 cod	es.	ROC
↓ Check	all that apply 1. Peripheral Vascular Disease (PVD) or Periph	heral Arterial Disease (PAD)	1
H	Periprieral Vascular Disease (FVD) of Periprieral Diabetes Mellitus (DM)	ווסומו היונטוומו טוטטטטט (ו הט)	1

None of the above



H/I


OASIS-E Section H Bladder and Bowel



OASIS-D	Patient History (continued) / Sensory Status (continued) / Health Conditions	
	or Hospitalization	SOC
	ollowing signs or symptoms characterize this patient as at risk for hospitalization?	ROC FU
↓ Check	all that apply 1. History of falls (2 or more falls – or any fall with an injury – in the past 12 months)	10
	Unintentional weight loss of a total of 10 pounds or more in the past 12 months	
	3. Multiple hospitalizations (2 or more) in the past 6 months 4. Multiple emergency department visits (2 or more) in the past 6 months	
	 Multiple emergency department visits (2 or more) in the past 6 months Decline in mental, emotional, or behavioral status in the past 3 months 	
	6. Reported or observed history of difficulty complying with any medical instructions (for example, medications, diet,	
	exercise) in the past 3 months 7. Currently taking 5 or more medications	
	8. Currently reports exhaustion	
	9. Other risk(s) not listed in 1-8 10. None of the above	
	ency of Pain Interfering with patient's activity or movement	SOC ROC
Enter Code	Patient has no pain Patient has pain that does not interfere with activity or movement	FU DC
	2. Less often than daily	DC
	3. Daily, but not constantly	
	4. All of the time	
J1800. Any Fa	Ils Since SOC/ROC, whichever is more recent	TRF DC
Enter Code	Has the patient had any falls since SOC/ROC, whichever is more recent? 0. No → Skip to M1400, Short of Breath at DC; Skip to M2005, Medication Intervention at TRN and DAH 1. Yes → Continue to J1900, Number of Falls Since SOC/ROC	ВС
J1900. Numbe	er of Falls Since SOC/ROC, whichever is more recent	TRF
Coding:	↓ Enter Codes in Boxes A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall	DC
0. None 1. One 2. Two or	B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain	
	C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma	
M1910. Has th	is patient had a multi-factor Falls Risk Assessment using a standardized, validated assessment tool?	SOC(o)
Enter Code	No Yes, and it does not indicate a risk for falls. Yes, and it does indicate a risk for falls.	ROC(o)
M1400. When	is the patient dyspneic or noticeably Short of Breath?	SOC
Enter Code	Patient is not short of breath When walking more than 20 feet, climbing stairs With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)	FU(o) DC
	3. With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation	

At rest (during day or night)

	SOC	M1400.	M1400. When is the patient dyspneic or noticeably Short of Breath?						
F	ROC FU(o) DC	Enter	Code 0. 1. 2. 3. 4.	Patient is not short of breath When walking more than 20 feet, climbing stairs With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet) With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation At rest (during day or night)					
E	¹S⊦	HP							



SOC

ROC FU

OASIS-E Section J

M1033. Risk for Hospitalization

Health Conditions

Which of the following signs or symptoms characterize this patient as at risk for hospitalization?

1. History of falls (2 or more falls – or any fall with an injury – in the past 12 months)

Unintentional weight loss of a total of 10 pounds or more in the past 12 months

M1060. Height	and Weig	ht - While measuring, if the number is X.1-X.4 round down; X.5 or greater round up.	SOC
inches	A.	Height (in inches). Record most recent height measure since the most recent SOC/ROC	Roc
pounds	B.	Weight (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard agency practice (for example, in a.m. after voiding, before meal, with shoes off, etc.)	
			_

OASIS-D Patient History (continued) / ADL/IADLs (continued) / Health Conditions

M1030. Therap	M1030. Therapies the patient receives at home:					
↓ Check all that apply						
	1.	Intravenous or infusion therapy (excludes TPN)	FU(o)			
	2.	Parenteral nutrition (TPN or lipids)				
	3.	Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)				
	4.	None of the above				
M1870. Feedin	g or Eatir	ng	SOC			
Current ability to feed self meals and snacks safely.						
Note: This refer	s only to t	the process of <u>eating</u> , <u>chewing</u> , and <u>swallowing</u> , <u>not preparing</u> the food to be eaten.	DC			
Enter Code	0.	Able to independently feed self.				
	1.	Able to feed self independently but requires:				
		a. meal set-up; OR				
		b. intermittent assistance or supervision from another person; OR				
		c. a liquid, pureed or ground meat diet.				
	2.	Unable to feed self and must be assisted or supervised throughout the meal/snack.				
	3.	Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy.				
	4.	Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.				
	5.	Unable to take in nutrients orally or by tube feeding.				
			1			

M1800-M1860. Other ADL/IADLs shown in section G



OASI	S-E	Section K Swallowing/Nutritional Status] k		
M1060.	. Height	t and Weight - W	hile measuring, if the number is X.1-X.4 round down; X.5 o	r greater round up.			SOC		
inc	hes	A. Height (in inches). Record most recent height measure since the most recent SOC/ROC							
pou	unds	B. Weight (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard agency practice (for example, in a.m. after voiding, before meal, with shoes off, etc.)							
K0520.	Nutriti	onal Approaches		SOC/ROC		C	soc		
1.	On A	dmission - Chec	k all that apply on admission	1.	4.	5.	RO		
4.	Last	7 days - Check a	I that were received in the last 7 days	On Admission	Last 7 days	At Discharge	DC		
5.	At Di	ischarge - Check	all that were being received at discharge	↓ Check all that apply ↓					
	A.	Parenteral/IV fe	eding						
	B.	Feeding tube (e	e.g., nasogastric or abdominal (PEG))						
	C.		tered diet - require change in texture of food or liquids d, thickened liquids)						
	D.	Therapeutic die	t (e.g., low salt, diabetic, low cholesterol)						
	Z.	None of the abo					1		

1870. Feedin	g or Eatir	ıg	SOC
urrent ability to	o feed self	f meals and snacks safely.	ROC
ote: This refer	s only to t	he process of <u>eating</u> , <u>chewing</u> , and <u>swallowing</u> , <u>not preparing</u> the food to be eaten.	DC
Enter Code	0. 1.	Able to independently feed self. Able to feed self independently but requires: a. meal set-up; OR	
		b. intermittent assistance or supervision from another person; ORc. a liquid, pureed or ground meat diet.	
	2.	<u>Unable</u> to feed self and must be assisted or supervised throughout the meal/snack.	
	3.	Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy.	
	4.	<u>Unable</u> to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.	
	5.	Unable to take in nutrients orally or by tube feeding.	

OASIS-D	Integumentary Status]
M1306 Does to	nis patient have at least one Unhealed Pressure Ulcer/Injury at Stage 2 or Higher or designated as Unstageable?	1
	e 1 pressure injuries and all healed pressure ulcers/injuries)	SOC ROC
Enter Code	 No → Skip to M1322, Current Number of Stage 1 Pressure Injuries at SOC/ROC; Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable at DC Yes 	FU DC
M4207 The O		DC
	dest Stage 2 Pressure Ulcer that is present at discharge: (Excludes healed Stage 2 pressure ulcers)	DC
Enter Code	Was present at the most recent SOC/ROC assessment Developed since the most recent SOC/ROC assessment. Record date pressure ulcer first identified:	
	Month Day Year NA. No Stage 2 pressure ulcers are present at discharge	
M1311 Currer	nt Number of Unhealed Pressure Ulcers/Injuries at Each Stage	1
WITSTI. Currer	T	1
Enter Number	 Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. A1. Number of Stage 2 pressure ulcers - If 0 → Skip to M1311B1, Stage 3 	SOC ROC FU(o)
	7.1. Hamber of stage 2 pressure diecis in a 7 stap to Milotib II, stage o	DC
Enter Number	A2. Number of these Stage 2 pressure ulcers that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC
Enter Number	Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.	SOC ROC
	B1. Number of Stage 3 pressure ulcers - If 0 → Skip to M1311C1, Stage 4	FU(o) DC
Enter Number	B2. Number of these Stage 3 pressure ulcers that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC
Futou Niverboo	Stage 4: Full thickness tissue loss with exposed bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.	SOC ROC
Enter Number	C1. Number of Stage 4 pressure ulcers - If 0 → Skip to M1311D1, Unstageable: Non-removable dressing/device	FU(o) DC
Enter Number	C2. Number of these Stage 4 pressure ulcers that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC
Enter Number	Unstageable: Non-removable dressing/device: Known but not stageable due to non-removable dressing/device	SOC
	D1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M1311E1, Unstageable: Slough and/or eschar	ROC FU(o) DC
Enter Number	D2. Number of these unstageable pressure ulcers/injuries that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC
Enter Number	Unstageable: Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar	SOC
	E1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → Skip to M1311F1, Unstageable: Deep tissue injury	ROC FU(o) DC
Enter Number	E2. Number of these unstageable pressure ulcers/injuries that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC
Enter Number	,	
Enter Number	7.7	SOC ROC
	 F1. Number of unstageable pressure injuries presenting as deep tissue injury - If 0 → Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable 	FU(o) DC
Enter Number	F2. Number of these unstageable pressure ulcers/injuries that were present at most recent SOC/ROC - enter how many were noted at the time of most recent SOC/ROC	DC
	nt Number of Stage 1 Pressure Injuries	SOC
	non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have iing; in dark skin tones only it may appear with persistent blue or purple hues.	ROC FU(o)
Enter Code	T	
Enter Code	0 1 2	
	3 4 or more	
M1324. Stage	of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable	SOC
	ure ulcer/injury that cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough or deep tissue injury.	ROC FU(o) DC
Enter Code	1. Stage 1	
	2. Stage 2 3. Stage 3	
	4. Stage 4	
	NA Patient has no pressure ulcers/injuries or no stageable pressure ulcers/injuries	JEUSHP

OASIS-E	Section	М	Skin Conditions	N
M1306 Does th	nis natient h	ave at	least one Unhealed Pressure Ulcer/Injury at Stage 2 or Higher or designated as Unstageable?	
			es and all healed pressure ulcers/injuries)	SOC
Enter Code			Skip to M1322, Current Number of Stage 1 Pressure Injuries at SOC/ROC; Skip to M1324, Stage of Most ematic Unhealed Pressure Ulcer/Injury that is Stageable at DC	FU DC
M1307. The Ol			ssure Ulcer that is present at discharge: (Excludes healed Stage 2 pressure ulcers)	DC
Enter Code	1.	Was _l	present at the most recent SOC/ROC assessment	
Ш	2.	Devel	oped since the most recent SOC/ROC assessment. Record date pressure ulcer first identified:	
		Month No St	Day Year age 2 pressure ulcers are present at discharge	
M1311. Curren	t Number o	f Unh	ealed Pressure Ulcers/Injuries at Each Stage	
Enter Number			rtial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough.	SOC
	A1.	Numb	per of Stage 2 pressure ulcers - If $0 \rightarrow$ Skip to M1311B1, Stage 3	DC
Enter Number	A2.		per of these Stage 2 pressure ulcers that were present at most recent SOC/ROC enter how many were noted at the time of most recent SOC/ROC	DC
Enter Number	_		Il thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscle is not exposed. Slough ent but does not obscure the depth of tissue loss. May include undermining and tunneling.	SOC
	B1.	Numb	per of Stage 3 pressure ulcers - If 0 → Skip to M1311C1, Stage 4	DC
Enter Number	B2.		per of these Stage 3 pressure ulcers that were present at most recent SOC/ROC enter how many were noted at the time of most recent SOC/ROC	DC
Enter Number			Il thickness tissue loss with exposed bone, tendon, or muscle. Slough or eschar may be present on some parts I bed. Often includes undermining and tunneling.	SOC
			per of Stage 4 pressure ulcers - If 0 → Skip to M1311D1, Unstageable: Non-removable dressing/device	DC
Enter Number	C2.		per of these Stage 4 pressure ulcers that were present at most recent SOC/ROC enter how many were noted at the time of most recent SOC/ROC	DC
Enter Number	Unsta	geabl	e: Non-removable dressing/device: Known but not stageable due to non-removable dressing/device	SOC
	D1.		per of unstageable pressure ulcers/injuries due to non-removable dressing/device → Skip to M1311E1, Unstageable: Slough and/or eschar	ROC DC
Enter Number	D2.		per of these unstageable pressure ulcers/injuries that were present at most recent SOC/ROC enter how many were noted at the time of most recent SOC/ROC	DC
Enter Number	Unsta	geabl	e: Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar	soc
	E1.		per of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar → Skip to M1311F1, Unstageable: Deep tissue injury	ROC DC
Enter Number	E2.		per of these unstageable pressure ulcers/injuries that were present at most recent SOC/ROC enter how many were noted at the time of most recent SOC/ROC	DC
Enter Number	Unsta	geabl	e: Deep tissue injury	SOC
		Numb	oer of unstageable pressure injuries presenting as deep tissue injury → Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable	ROC
Enter Number	F2.		per of these unstageable pressure ulcers/injuries that were present at most recent SOC/ROC	DC
M1222 Curron	t Number e		enter how many were noted at the time of most recent SOC/ROC	
ntact skin with	non-blancha	able re	ge 1 Pressure Injuries Idness of a localized area usually over a bony prominence. Darkly pigmented skin may not have ones only it may appear with persistent blue or purple hues.	SOC ROC
Enter Code	0			
	2			
	3 4 or m	ore		
M1324. Stage (of Most Pro	blema	atic Unhealed Pressure Ulcer/Injury that is Stageable	soc
Excludes press and/or eschar, o			at cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough ry.	ROC DC
Enter Code		Stage		
Ш		Stage Stage		
	4.	Stage	4	
	NA	Patier	nt has no pressure ulcers/injuries or no stageable pressure ulcers/injuries	1

M1330. Does th	M1330. Does this patient have a Stasis Ulcer?					
Enter Code	 No → Skip to M1340, Surgical Wound Yes, patient has BOTH observable and unobservable stasis ulcers Yes, patient has observable stasis ulcers ONLY Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing/device) → Skip to M1340, Surgical Wound 	ROC FU(o) DC				
M1332. Curren	t Number of Stasis Ulcer(s) that are Observable	SOC ROC				
Enter Code	 One Two Three Four 	FU(o)				
M1334. Status	of Most Problematic Stasis Ulcer that is Observable	SOC				
Enter Code	 Fully granulating Early/partial granulation Not healing 	FU(o) DC				
M1340. Does th	nis patient have a Surgical Wound?	SOC				
Enter Code	 No → Skip to N0415, High-Risk Drug Classes: Use and Indication Yes, patient has at least one observable surgical wound Surgical wound known but not observable due to non-removable dressing/device → Skip to N0415, High-Risk Drug Classes: Use and Indication 	FU(o) DC				
M1342. Status	of Most Problematic Surgical Wound that is Observable	SOC				
Enter Code	 Newly epithelialized Fully granulating Early/partial granulation Not healing 	FU(o) DC				



11330. Does this patient have a Stasis Ulcer?					
Enter Code	 No → Skip to M1340, Surgical Wound Yes, patient has BOTH observable and unobservable stasis ulcers Yes, patient has observable stasis ulcers ONLY Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing/device) → Skip to M1340, Surgical Wound 	ROC DC			
M1332. Curren	t Number of Stasis Ulcer(s) that are Observable	soc			
Enter Code	 One Two Three Four 	ROC			
M1334. Status	of Most Problematic Stasis Ulcer that is Observable	SOC			
Enter Code	 Fully granulating Early/partial granulation Not healing 	ROC DC			
W1340. Does th	nis patient have a Surgical Wound?	SOC			
Enter Code	 No → Skip to N0415, High-Risk Drug Classes: Use and Indication Yes, patient has at least one observable surgical wound Surgical wound known but not observable due to non-removable dressing/device → Skip to N0415, High-Risk Drug Classes: Use and Indication 	ROC DC			
M1342. Status	of Most Problematic Surgical Wound that is Observable	SOC			
Enter Code	Newly epithelialized Fully granulating Early/partial granulation Not healing	ROC DC			

M2001. Drug R	egimen Review	SOC
Did a complete	drug regimen review identify potential clinically significant medication issues?	ROC
Enter Code	0. No - No issues found during review → Skip to M2010, Patient/Caregiver High-Risk Drug Education	
	 Yes - Issues found during review NA - Patient is not taking any medications → Skip to M2102. Types and Sources of Assistance 	
	ntion Follow-up	soc
	contact a physician (or physician-designee) by midnight of the next calendar day and complete mmended actions in response to the identified potential clinically significant medication issues?	ROC
Enter Code	1 2	
Enter Code	0. No 1. Yes	
M200E Madias	ition Intervention	
	contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next	TRF
	ach time potential clinically significant medication issues were identified since the SOC/ROC?	DC
Enter Code	0. No	
	1. Yes	
	9. NA - There were no potential clinically significant medication issues identified since SOC/ROC or patient is not taking	
	any medications	
	/Caregiver High-Risk Drug Education	soc
	caregiver received instruction on special precautions for all high-risk medications (such as hypoglycemics, etc.) and how and when to report problems that may occur?	ROC
<u> </u>		
Enter Code	0. No 1. Yes	
	NA Patient not taking any high-risk drugs OR patient/caregiver fully knowledgeable about special precautions associated	
	with all high-risk medications	
M2016. Patient	/Caregiver Drug Education Intervention	
	or at any time since the most recent SOC/ROC assessment, was the patient/caregiver instructed by agency staff or	TRF
	re provider to monitor the effectiveness of drug therapy, adverse drug reactions, and significant side effects, and to report problems that may occur?	DC
Enter Code	0. No 1. Yes	
	NA Patient not taking any drugs	
M2020 Manag	l ement of Oral Medications	SOC
_	t ability to prepare and take <u>all</u> oral medications reliably and safely, including administration of the correct dosage	ROC
	te times/intervals. Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)	DC
Enter Code	Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.	
	Able to take medication(s) at the correct times if:	
	a. individual dosages are prepared in advance by another person; <u>OR</u>	
	 another person develops a drug diary or chart. Able to take medication(s) at the correct times if given reminders by another person at the appropriate times 	
	3. <u>Unable</u> to take medication unless administered by another person.	
	NA No oral medications prescribed.	
M2030. Manag	ement of Injectable Medications	SOC
	t ability to prepare and take <u>all</u> prescribed injectable medications reliably and safely, including administration of at the appropriate times/intervals. Excludes IV medications.	ROC FU(o)
Enter Code	Able to independently take the correct medication(s) and proper dosage(s) at the correct times.	
	Able to take injectable medication(s) at the correct times if:	
	a. individual syringes are prepared in advance by another person; <u>OR</u>	
	 another person develops a drug diary or chart. Able to take medication(s) at the correct times if given reminders by another person based on the frequency of the injection 	 1
	3. <u>Unable</u> to take injectable medication unless administered by another person.	
	NA No injectable medications prescribed.	

OASIS-D Medications

	Section N	Medications		
OC/ROC and	I Discharge			
		s: Use and Indication		
1. Is tak				
		taking any medications by ification, not how it is used, in the	1. Is Taking	2. Indication Noted
If Col	cation noted lumn 1 is checked edications in the d	I, check if there is an indication noted for drug class	↓ Check all	that apply ↓
A.	Antipsychotic			
E.	Anticoagulant			
F. H.	Antibiotic Opioid			
l.	Antiplatelet			
J. Z.	Hypoglycemic None of the ab	(including insulin)		
	Regimen Review	ove		
_	=	view identify potential clinically significant medication issues	?	
Enter Code	1. Yes	No issues found during review → Skip to M2010, Patien - Issues found during review		
	9. NA -	Patient is not taking any medications \rightarrow Skip to 00110,	Special Treatments, Procedu	res, and Programs
id the agency		ian (or physician-designee) by midnight of the next calendal s in response to the identified potential clinically significant		
Enter Code	0. No 1. Yes			
//2005. Medic	 ation Interventio	n		
id the agency	contact and com	 plete physician (or physician-designee) prescribed/recomm l clinically significant medication issues were identified since		the next
Enter Code	0. No 1. Yes 9. NA -	There were no potential clinically significant medication iss	ues identified since SOC/ROC	C or patient is not taking
nticoagulants, Enter Code	0. No 1. Yes NA Patie	and when to report problems that may occur? ent not taking any high-risk drugs OR patient/caregiver fully all high-risk medications	knowledgeable about special	precautions associated
Patient's currer		l edications re and take <u>all</u> oral medications reliably and safely, includinç s. <u>Excludes</u> injectable and IV medications. (NOTE: This refe		
	1			
Enter Code	1. Able a. b. 2. Able	to independently take the correct oral medication(s) and protocomment to take medication(s) at the correct times if: individual dosages are prepared in advance by another personnel of the protocomment of the protocomment of the medication of the correct times if given remindent to take medication unless administered by another personnel of the protocomment of the	erson; <u>OR</u> s by another person at the app	
	1. Able a. b. 2. Able 3. <u>Unal</u> NA No o	to take medication(s) at the correct times if: individual dosages are prepared in advance by another per another person develops a drug diary or chart. to take medication(s) at the correct times if given reminder to take medication unless administered by another personal medications prescribed.	erson; <u>OR</u> s by another person at the app	
12030. Manag	1. Able a. b. 2. Able 3. <u>Unal</u> NA No o	to take medication(s) at the correct times if: individual dosages are prepared in advance by another per another person develops a drug diary or chart. to take medication(s) at the correct times if given remindent to take medication unless administered by another person	erson; <u>OR</u> s by another person at the app on.	propriate times

		TRF					
	W1041. Influenza Vaccine Data Collection Period						
Does this episo	de of care (SOC/ROC to Transfer/Discharge) include any dates on or between October 1 and March 31?	DC					
Enter Code	0. No → Skip to M1051, Pneumococcal Vaccine						
	1. Yes → Continue to M1046, Influenza Vaccine Received						
	za Vaccine Received	TRF					
Did the patient	receive the influenza vaccine for this year's flu season?	DC					
Enter Code	1. Yes; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge)						
	2. Yes; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge)						
	3. Yes ; received from another health care provider (for example, physician, pharmacist)						
	4. No ; patient offered and declined						
	5. No ; patient assessed and determined to have medical contraindication(s)						
	6. No ; not indicated - patient does not meet age/condition guidelines for influenza vaccine						
	7. No ; inability to obtain vaccine due to declared shortage 8. No : patient did not receive the vaccine due to reasons other than those listed in responses 4-7.						
	8. No ; patient did not receive the vaccine due to reasons other than those listed in responses 4-7.						
M1051. Pneum	ococcal Vaccine	TRF					
Has the patient	ever received the pneumococcal vaccination (for example, pneumovax)?	DC					
Enter Code	0. No						
	1. Yes [Go to M2005 at TRN; Go to M1242 at DC]						
M1056. Reaso	n Pneumococcal Vaccine not received	TRF					
If patient has n	ever received the pneumococcal vaccination (for example, pneumovax), state reason:	DC					
Enter Code	1. Offered and Declined						
	2. Assessed abd determined to have medical contraindication(s)						
	3. Not indicated; patient does not meet age/condition guidelines for Pneumococcal Vaccine						
	4. None of the above						
M2200. Therap	y Need						
In the home he	alth plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is	SOC					
the indicated no	eed for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology	FU(o)					
visits combined)? (Enter zero ["000"] if no therapy visits indicated.)	10(0)					
	Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined).						
	NA - Not Applicable: No case mix group defined by this assessment.	₽ ₁ ¢					

OASIS-D Patient History (continued)

SOC/ROC and Discharge O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply. Cancer Treatments A1. Chemotherapy A2. IV A3. Oral A10. Other B1. Radiation Respiratory Therapies C1. Oxygen Therapy C2. Continuous C3. Intermittent C4. High-concentration D1. Suctioning D2. Scheduled	ssion c. At Discharge ↓ Check all that apply ↓
Check all of the following treatments, procedures, and programs that apply. Cancer Treatments A1. Chemotherapy	↓ Check all that apply ↓
Cancer Treatments	Crieck all that apply \$
A1. Chemotherapy A2. IV A3. Oral A10. Other B1. Radiation Respiratory Therapies C1. Oxygen Therapy C2. Continuous C3. Intermittent C4. High-concentration	
A2. IV A3. Oral A10. Other B1. Radiation Cespiratory Therapies C1. Oxygen Therapy C2. Continuous C3. Intermittent C4. High-concentration D1. Suctioning	
A3. Oral	
B1. Radiation	
espiratory Therapies C1. Oxygen Therapy C2. Continuous C3. Intermittent C4. High-concentration D1. Suctioning	
C1. Oxygen Therapy	
C2. Continuous C3. Intermittent C4. High-concentration	
C3. Intermittent C4. High-concentration	
C4. High-concentration D1. Suctioning	
D1. Suctioning	
D2. Scheduled	
D3. As needed	
E1. Tracheostomy Care F1. Invasive Mechanical Ventilator (ventilator or respirator)	
G1. Non-invasive Mechanical Ventilator	
G2. BiPAP	
G3. CPAP	
ther	
H1. IV Medications	
H2. Vasoactive medications H3. Antibiotics	
H3. Antibiotics H4. Anticoagulation	
H10. Other	
11. Transfusions	
J1. Dialysis	
J2. Hemodialysis	
J3. Peritoneal dialysis O1. IV Access	
O1. IV Access O2. Peripheral	
O3. Mid-line	
O4. Central (e.g., PICC, tunneled, port)	
one of the Above	
Z1. None of the Above	
1041. Influenza Vaccine Data Collection Period	March 312
oes this episode of care (SOC/ROC to Transfer/Discharge) include any dates on or between October 1 and	Walcii 31?
Enter Code 0. No → Skip to M2401, Intervention Synopsis	
1. Yes → Continue to M1046, Influenza Vaccine Received	
1046. Influenza Vaccine Received	Т
d the patient receive the influenza vaccine for this year's flu season?	
Enter Code 1. Yes; received from your agency during this episode of care (SOC/ROC to Transfe Yes; received from your agency during a prior episode of care (SOC/ROC to Transfe Yes; received from another health care provider (for example, physician, pharmac No; patient offered and declined No; patient assessed and determined to have medical contraindication(s) No; not indicated - patient does not meet age/condition guidelines for influenza va No; inability to obtain vaccine due to declared shortage No; patient did not receive the vaccine due to reasons other than those listed in re	sfer/Discharge) st) ccine
2200. Therapy Need In the home health plan of care for the Medicare payment episode for which this assessment will define a case the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-land	
isits combined)? (Enter zero ["000"] if no therapy visits indicated.) Number of therapy visits indicated (total of physical, occupational and speed	h-language pathology combined).

OASIS-D Items Collected at TRF/DC (continued)					
	•				
At the time of o	ention Synopsis r at any time since the most recen ed plan of care AND implemented				wing interventions BOTH included in the
Plan/Interve	Plan/Intervention		Yes	Not Applicable	
		↓Check or	ly one box in	each row↓	
for the p lower ex	foot care including monitoring resence of skin lesions on the tremities and patient/caregiver on on proper foot care	0	1	□NA	Patient is not diabetic or is missing lower legs due to congenital or acquired condition (bilateral amputee).
B. Falls pre	evention interventions	0	1	NA	Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no risk for falls.
medicat treatmer	ion intervention(s) such as ion, referral for other nt, or a monitoring plan ent treatment	0	1	□NA	Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used.
D. Interven pain	tion(s) to monitor and mitigate	0	1	□NA	Every standardized, validated pain assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain.
E. Interven	tion(s) to prevent e ulcers	0	1	□NA	Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pressure ulcers.
	e ulcer treatment based on es of moist wound healing	0	1	□NA	Patient has no pressure ulcers OR has no pressure ulcers for which moist wound healing is indicated.

M0906. Discharge/Transfer/Death Date shown in section A



DASIS-E Section Q Participation in Assessment and Goal Setting						
M2401. Intervention s At the time of or at any ohysician-ordered plar	time since the m				owing interventions BOTH included in the	TRF DC
Plan/Intervention	No	Yes		Not Applicable		
		↓Chec	k only one box i	n each row↓		
B. Falls preventio	n interventions	0	1	□NA	Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no risk for falls.	
C. Depression int medication, ref treatment, or a for current trea	ferral for other monitoring plan		1	□NA	Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used.	
D. Intervention(s) pain	to monitor and ı	mitigate 0	1	□NA	Every standardized, validated pain assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain.	
E. Intervention(s) pressure ulcer		0	1	NA	Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pressure ulcers.	

0

F. Pressure ulcer treatment based on principles of moist wound healing ____ 1

NA

Patient has no pressure ulcers OR has no pressure ulcers for which moist wound healing is indicated.